

MEI STRUCTURED MATHEMATICS

EXAMINATION FORMULAE AND TABLES

Arithmetic series

$$\begin{aligned} \text{General (kth) term, } & u_k = a + (k-1)d \\ \text{last (nth) term, } l = & u_n = a + (n-1)d \\ \text{Sum to } n \text{ terms, } & S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n[2a + (n-1)d] \end{aligned}$$

Geometric series

$$\begin{aligned} \text{General (kth) term, } & u_k = ar^{k-1} \\ \text{Sum to } n \text{ terms, } & S_n = \frac{a(1-r^n)}{1-r} = \frac{a(r^n-1)}{r-1} \\ \text{Sum to infinity } & S_\infty = \frac{a}{1-r}, -1 < r < 1 \end{aligned}$$

Binomial expansions

When n is a positive integer

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \dots + \binom{n}{r}a^{n-r}b^r + \dots + b^n, n \in \mathbb{N}$$

where

$$\binom{n}{r} = {}^nC_r = \frac{n!}{r!(n-r)!} \quad \binom{n}{r} + \binom{n}{r+1} = \binom{n+1}{r+1}$$

General case

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \dots + \frac{n(n-1)\dots(n-r+1)}{1.2\dots r}x^r + \dots, |x| < 1, n \in \mathbb{R}$$

Logarithms and exponentials

$$e^{x \ln a} = a^x \quad \log_a x = \frac{\log_b x}{\log_b a}$$

Numerical solution of equations

$$\text{Newton-Raphson iterative formula for solving } f(x) = 0, x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)}$$

Complex Numbers

$$\{r(\cos \theta + j \sin \theta)\}^n = r^n(\cos n\theta + j \sin n\theta)$$

$$e^{j\theta} = \cos \theta + j \sin \theta$$

The roots of $z^n = 1$ are given by $z = \exp\left(\frac{2\pi k}{n}j\right)$ for $k = 0, 1, 2, \dots, n-1$

Finite series

$$\sum_{r=1}^n r^2 = \frac{1}{6}n(n+1)(2n+1) \quad \sum_{r=1}^n r^3 = \frac{1}{4}n^2(n+1)^2$$

Infinite series

$$f(x) = f(0) + xf'(0) + \frac{x^2}{2!}f''(0) + \dots + \frac{x^r}{r!}f^{(r)}(0) + \dots$$

$$f(x) = f(a) + (x-a)f'(a) + \frac{(x-a)^2}{2!}f''(a) + \dots + \frac{(x-a)^r f^{(r)}(a)}{r!} + \dots$$

$$f(a+x) = f(a) + xf'(a) + \frac{x^2}{2!}f''(a) + \dots + \frac{x^r}{r!}f^{(r)}(a) + \dots$$

$$e^x = \exp(x) = 1 + x + \frac{x^2}{2!} + \dots + \frac{x^r}{r!} + \dots, \text{ all } x$$

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \dots + (-1)^{r+1} \frac{x^r}{r} + \dots, -1 < x \leq 1$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \dots + (-1)^r \frac{x^{2r+1}}{(2r+1)!} + \dots, \text{ all } x$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \dots + (-1)^r \frac{x^{2r}}{(2r)!} + \dots, \text{ all } x$$

$$\arctan x = x - \frac{x^3}{3} + \frac{x^5}{5} - \dots + (-1)^r \frac{x^{2r+1}}{2r+1} + \dots, -1 \leq x \leq 1$$

$$\sinh x = x + \frac{x^3}{3!} + \frac{x^5}{5!} + \dots + \frac{x^{2r+1}}{(2r+1)!} + \dots, \text{ all } x$$

$$\cosh x = 1 + \frac{x^2}{2!} + \frac{x^4}{4!} + \dots + \frac{x^{2r}}{(2r)!} + \dots, \text{ all } x$$

$$\operatorname{artanh} x = x + \frac{x^3}{3} + \frac{x^5}{5} + \dots + \frac{x^{2r+1}}{(2r+1)} + \dots, -1 < x < 1$$

Hyperbolic functions

$$\cosh^2 x - \sinh^2 x = 1, \quad \sinh 2x = 2 \sinh x \cosh x, \quad \cosh 2x = \cosh^2 x + \sinh^2 x$$

$$\operatorname{arsinh} x = \ln(x + \sqrt{x^2 + 1}), \quad \operatorname{arcosh} x = \ln(x + \sqrt{x^2 - 1}), x \geq 1$$


$$\operatorname{artanh} x = \frac{1}{2} \ln \left(\frac{1+x}{1-x} \right), |x| < 1$$

Matrices

$$\text{Anticlockwise rotation through angle } \theta, \text{ centre O: } \begin{pmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{pmatrix}$$

$$\text{Reflection in the line } y = x \tan \theta: \begin{pmatrix} \cos 2\theta & \sin 2\theta \\ \sin 2\theta & -\cos 2\theta \end{pmatrix}$$

Cosine rule $\cos A = \frac{b^2 + c^2 - a^2}{2bc}$ (etc.)
 $a^2 = b^2 + c^2 - 2bc \cos A$ (etc.)



Trigonometry

$\sin(\theta \pm \phi) = \sin \theta \cos \phi \pm \cos \theta \sin \phi$
 $\cos(\theta \pm \phi) = \cos \theta \cos \phi \mp \sin \theta \sin \phi$
 $\tan(\theta \pm \phi) = \frac{\tan \theta \pm \tan \phi}{1 \mp \tan \theta \tan \phi}$, $[(\theta \pm \phi) \neq (k + \frac{1}{2})\pi]$
 For $t = \tan \frac{1}{2} \theta$: $\sin \theta = \frac{2t}{(1+t^2)}$, $\cos \theta = \frac{(1-t^2)}{(1+t^2)}$
 $\sin \theta + \sin \phi = 2 \sin \frac{1}{2}(\theta + \phi) \cos \frac{1}{2}(\theta - \phi)$
 $\sin \theta - \sin \phi = 2 \cos \frac{1}{2}(\theta + \phi) \sin \frac{1}{2}(\theta - \phi)$
 $\cos \theta + \cos \phi = 2 \cos \frac{1}{2}(\theta + \phi) \cos \frac{1}{2}(\theta - \phi)$
 $\cos \theta - \cos \phi = -2 \sin \frac{1}{2}(\theta + \phi) \sin \frac{1}{2}(\theta - \phi)$

Vectors and 3-D coordinate geometry

(The position vectors of points A, B, C are **a**, **b**, **c**)
 The position vector of the point dividing AB in the ratio $\lambda:\mu$ is $\frac{\mu\mathbf{a} + \lambda\mathbf{b}}{(\lambda + \mu)}$
 Line: Cartesian equation of line through A in direction **u** is $\frac{x - a_1}{u_1} = \frac{y - a_2}{u_2} = \frac{z - a_3}{u_3} (= t)$
 The resolved part of **a** in the direction **u** is $\frac{\mathbf{a} \cdot \mathbf{u}}{|\mathbf{u}|}$
 Plane: Cartesian equation of plane through A with normal **n** is $n_1 x + n_2 y + n_3 z + d = 0$ where $d = -\mathbf{a} \cdot \mathbf{n}$
 The plane through non-collinear points A, B and C has vector equation $\mathbf{r} = \mathbf{a} + s(\mathbf{b} - \mathbf{a}) + t(\mathbf{c} - \mathbf{a}) = (1 - s - t)\mathbf{a} + s\mathbf{b} + t\mathbf{c}$
 The plane through A parallel to **u** and **v** has equation $\mathbf{r} = \mathbf{a} + s\mathbf{u} + t\mathbf{v}$

Perpendicular distance of a point from a line and a plane

Line: (x_1, y_1) from $ax + by + c = 0$: $\frac{|ax_1 + by_1 + c|}{\sqrt{a^2 + b^2}}$
 Plane: (α, β, γ) from $n_1 x + n_2 y + n_3 z + d = 0$: $\frac{|n_1 \alpha + n_2 \beta + n_3 \gamma + d|}{\sqrt{(n_1^2 + n_2^2 + n_3^2)}}$

Vector product

$\mathbf{a} \times \mathbf{b} = |\mathbf{a}| |\mathbf{b}| \sin \theta \hat{\mathbf{n}} = \begin{vmatrix} \mathbf{i} & a_1 & b_1 \\ \mathbf{j} & a_2 & b_2 \\ \mathbf{k} & a_3 & b_3 \end{vmatrix} = \begin{pmatrix} a_2 b_3 - a_3 b_2 \\ a_3 b_1 - a_1 b_3 \\ a_1 b_2 - a_2 b_1 \end{pmatrix}$
 $\mathbf{a} \cdot (\mathbf{b} \times \mathbf{c}) = \begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix} = \mathbf{b} \cdot (\mathbf{c} \times \mathbf{a}) = \mathbf{c} \cdot (\mathbf{a} \times \mathbf{b})$
 $\mathbf{a} \times (\mathbf{b} \times \mathbf{c}) = (\mathbf{c} \cdot \mathbf{a}) \mathbf{b} - (\mathbf{a} \cdot \mathbf{b}) \mathbf{c}$

Conics

	Ellipse	Parabola	Hyperbola	Rectangular hyperbola
Standard form	$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$	$y^2 = 4ax$	$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$	$xy = c^2$
Parametric form	$(a \cos \theta, b \sin \theta)$	$(at^2, 2at)$	$(a \sec \theta, b \tan \theta)$	$(ct, \frac{c}{t})$
Eccentricity	$e < 1$ $b^2 = a^2(1 - e^2)$	$e = 1$	$e > 1$ $b^2 = a^2(e^2 - 1)$	$e = \sqrt{2}$
Foci	$(\pm ae, 0)$	$(a, 0)$	$(\pm ae, 0)$	$(\pm c\sqrt{2}, \pm c\sqrt{2})$
Directrices	$x = \pm \frac{a}{e}$	$x = -a$	$x = \pm \frac{a}{e}$	$x + y = \pm c\sqrt{2}$
Asymptotes	none	none	$\frac{x}{a} = \pm \frac{y}{b}$	$x = 0, y = 0$

Any of these conics can be expressed in polar coordinates (with the focus as the origin) as: $\frac{l}{r} = 1 + e \cos \theta$ where l is the length of the semi-latus rectum.

Mensuration

Sphere : Surface area = $4\pi r^2$
 Cone : Curved surface area = $\pi r \times$ slant height

Differentiation $f(x)$	$f'(x)$	Integration $f(x)$	$\int f(x) dx$ (+ a constant)
$\tan kx$	$k \sec^2 kx$	$\sec^2 kx$	$(1/k) \tan kx$
$\sec x$	$\sec x \tan x$	$\tan x$	$\ln \sec x $
$\cot x$	$-\operatorname{cosec}^2 x$	$\cot x$	$\ln \sin x $
$\operatorname{cosec} x$	$-\operatorname{cosec} x \cot x$	$\operatorname{cosec} x$	$-\ln \operatorname{cosec} x + \cot x = \ln \left \tan \frac{x}{2} \right $
$\arcsin x$	$\frac{1}{\sqrt{1-x^2}}$	$\sec x$	$\ln \sec x + \tan x = \ln \left \tan \left(\frac{x}{2} + \frac{\pi}{4} \right) \right $
$\arccos x$	$\frac{-1}{\sqrt{1-x^2}}$	$\frac{1}{x^2 - a^2}$	$\frac{1}{2a} \ln \left \frac{x-a}{x+a} \right $
$\arctan x$	$\frac{1}{1+x^2}$	$\frac{1}{\sqrt{a^2 - x^2}}$	$\arcsin \left(\frac{x}{a} \right), x < a$
$\sinh x$	$\cosh x$	$\frac{1}{a^2 + x^2}$	$\frac{1}{a} \arctan \left(\frac{x}{a} \right)$
$\cosh x$	$\sinh x$	$\frac{1}{a^2 - x^2}$	$\frac{1}{2a} \ln \left \frac{a+x}{a-x} \right = \frac{1}{a} \operatorname{artanh} \left(\frac{x}{a} \right), x < a$
$\tanh x$	$\operatorname{sech}^2 x$	$\frac{1}{a^2 - x^2}$	$\frac{1}{2a} \ln \left \frac{a+x}{a-x} \right = \frac{1}{a} \operatorname{artanh} \left(\frac{x}{a} \right), x < a$
$\operatorname{arsinh} x$	$\frac{1}{\sqrt{1+x^2}}$	$\frac{\sinh x}{\cosh x}$	$\cosh x$
$\operatorname{arcosh} x$	$\frac{1}{\sqrt{x^2 - 1}}$	$\frac{\cosh x}{\sinh x}$	$\sinh x$
$\operatorname{artanh} x$	$\frac{1}{(1-x^2)}$	$\frac{\tanh x}{1 - \tanh^2 x}$	$\ln \cosh x$
		$\frac{1}{\sqrt{a^2 + x^2}}$	$\operatorname{arsinh} \left(\frac{x}{a} \right)$ or $\ln (x + \sqrt{x^2 + a^2})$,
		$\frac{1}{\sqrt{x^2 - a^2}}$	$\operatorname{arcosh} \left(\frac{x}{a} \right)$ or $\ln (x + \sqrt{x^2 - a^2}), x > a, a > 0$

<p>Quotient rule $y = \frac{u}{v}, \frac{dy}{dx} = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$</p> <p>Trapezium rule $\int_a^b y dx \approx \frac{1}{2} h \{ (y_0 + y_n) + 2(y_1 + y_2 + \dots + y_{n-1}) \}$, where $h = \frac{b-a}{n}$</p> <p>Integration by parts $\int u \frac{dv}{dx} dx = uv - \int v \frac{du}{dx} dx$</p> <p>Area of a sector $A = \frac{1}{2} \int r^2 d\theta$ (polar coordinates)</p> <p>$A = \frac{1}{2} \int (xy' - yx') dt$ (parametric form)</p> <p>Arc length $s = \int \sqrt{x'^2 + y'^2} dt$ (parametric form)</p> <p>$s = \int \sqrt{1 + \left[\frac{dy}{dx} \right]^2} dx$ (cartesian coordinates)</p> <p>$s = \int \sqrt{r^2 + \left[\frac{dr}{d\theta} \right]^2} d\theta$ (polar coordinates)</p>	<p>Surface area of revolution $S_x = 2\pi \int y ds = 2\pi \int y \sqrt{x'^2 + y'^2} dt$</p> <p>$S_y = 2\pi \int x ds = 2\pi \int x \sqrt{x'^2 + y'^2} dt$</p> <p>Curvature</p> $\kappa = \frac{d\psi}{ds} = \frac{\dot{x}\ddot{y} - \ddot{x}\dot{y}}{(x'^2 + y'^2)^{3/2}} = \frac{\frac{d^2y}{dx^2}}{\left(1 + \left[\frac{dy}{dx}\right]^2\right)^{3/2}}$ <p>Radius of curvature $\rho = \frac{1}{\kappa}$, Centre of curvature $\mathbf{c} = \mathbf{r} + \rho \hat{\mathbf{n}}$</p> <p>L'Hôpital's rule</p> <p>If $f(a) = g(a) = 0$ and $g'(a) \neq 0$ then $\lim_{x \rightarrow a} \frac{f(x)}{g(x)} = \frac{f'(a)}{g'(a)}$</p> <p>Multi-variable calculus</p> <p>$\operatorname{grad} g = \begin{pmatrix} \partial g / \partial x \\ \partial g / \partial y \\ \partial g / \partial z \end{pmatrix}$ For $w = g(x, y, z)$, $\delta w = \frac{\partial w}{\partial x} \delta x + \frac{\partial w}{\partial y} \delta y + \frac{\partial w}{\partial z} \delta z$</p>
---	--

Centre of mass (uniform bodies)

Triangular lamina:	$\frac{2}{3}$ along median from vertex
Solid hemisphere of radius r :	$\frac{3}{8}r$ from centre
Hemispherical shell of radius r :	$\frac{1}{2}r$ from centre
Solid cone or pyramid of height h :	$\frac{1}{4}h$ above the base on the line from centre of base to vertex
Sector of circle, radius r , angle 2θ :	$\frac{2r \sin \theta}{3\theta}$ from centre
Arc of circle, radius r , angle 2θ at centre:	$\frac{r \sin \theta}{\theta}$ from centre
Conical shell, height h :	$\frac{1}{3}h$ above the base on the line from the centre of base to the vertex

Motion in polar coordinates

Motion in a circle

Transverse velocity:	$v = r\dot{\theta}$
Radial acceleration:	$-r\dot{\theta}^2 = -\frac{v^2}{r}$
Transverse acceleration:	$\dot{v} = r\ddot{\theta}$

General motion

Radial velocity:	\dot{r}
Transverse velocity:	$r\dot{\theta}$
Radial acceleration:	$\ddot{r} - r\dot{\theta}^2$
Transverse acceleration:	$r\ddot{\theta} + 2\dot{r}\dot{\theta} = \frac{1}{r} \frac{d}{dt} (r^2\dot{\theta})$

Moments as vectors

The moment about O of \mathbf{F} acting at \mathbf{r} is $\mathbf{r} \times \mathbf{F}$

Moments of inertia (uniform bodies, mass M)

Thin rod, length $2l$, about perpendicular axis through centre:	$\frac{1}{3}Ml^2$
Rectangular lamina about axis in plane bisecting edges of length $2l$:	$\frac{1}{3}Ml^2$
Thin rod, length $2l$, about perpendicular axis through end:	$\frac{4}{3}Ml^2$
Rectangular lamina about edge perpendicular to edges of length $2l$:	$\frac{4}{3}Ml^2$
Rectangular lamina, sides $2a$ and $2b$, about perpendicular axis through centre:	$\frac{1}{3}M(a^2 + b^2)$
Hoop or cylindrical shell of radius r about perpendicular axis through centre:	Mr^2
Hoop of radius r about a diameter:	$\frac{1}{2}Mr^2$
Disc or solid cylinder of radius r about axis:	$\frac{1}{2}Mr^2$
Disc of radius r about a diameter:	$\frac{1}{4}Mr^2$
Solid sphere of radius r about a diameter:	$\frac{2}{5}Mr^2$
Spherical shell of radius r about a diameter:	$\frac{2}{3}Mr^2$
Parallel axes theorem:	$I_A = I_G + M(AG)^2$
Perpendicular axes theorem:	$I_z = I_x + I_y$ (for a lamina in the (x, y) plane)

Probability

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

$$P(A \cap B) = P(A) \cdot P(B|A)$$

$$P(A|B) = \frac{P(B|A)P(A)}{P(B|A)P(A) + P(B|A')P(A')}$$

Bayes' Theorem: $P(A_j|B) = \frac{P(A_j)P(B|A_j)}{\sum P(A_i)P(B|A_i)}$

Populations

Discrete distributions

X is a random variable taking values x_i in a discrete distribution with

$$P(X = x_i) = p_i$$

Expectation: $\mu = E(X) = \sum x_i p_i$

Variance: $\sigma^2 = \text{Var}(X) = \sum (x_i - \mu)^2 p_i = \sum x_i^2 p_i - \mu^2$

For a function $g(X)$: $E[g(X)] = \sum g(x_i) p_i$

Continuous distributions

X is a continuous variable with probability density function (p.d.f.) $f(x)$

Expectation: $\mu = E(X) = \int x f(x) dx$

Variance: $\sigma^2 = \text{Var}(X) = \int (x - \mu)^2 f(x) dx = \int x^2 f(x) dx - \mu^2$

For a function $g(X)$: $E[g(X)] = \int g(x) f(x) dx$

Cumulative

distribution function $F(x) = P(X \leq x) = \int_{-\infty}^x f(t) dt$

Correlation and regression For a sample of n pairs of observations (x_i, y_i)

$$S_{xx} = \sum (x_i - \bar{x})^2 = \sum x_i^2 - \frac{(\sum x_i)^2}{n}, S_{yy} = \sum (y_i - \bar{y})^2 = \sum y_i^2 - \frac{(\sum y_i)^2}{n},$$

$$S_{xy} = \sum (x_i - \bar{x})(y_i - \bar{y}) = \sum x_i y_i - \frac{(\sum x_i)(\sum y_i)}{n}$$

Covariance $\frac{S_{xy}}{n} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{n} = \frac{\sum x_i y_i}{n} - \bar{x} \bar{y}$

Product-moment correlation: Pearson's coefficient

$$r = \frac{S_{xy}}{\sqrt{S_{xx} S_{yy}}} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sqrt{[\sum (x_i - \bar{x})^2] [\sum (y_i - \bar{y})^2]}} = \frac{\frac{\sum x_i y_i}{n} - \bar{x} \bar{y}}{\sqrt{\left[\left(\frac{\sum x_i^2}{n} - \bar{x}^2 \right) \left(\frac{\sum y_i^2}{n} - \bar{y}^2 \right) \right]}}$$

Rank correlation: Spearman's coefficient

$$r_s = 1 - \frac{6 \sum d_i^2}{n(n^2 - 1)}$$

Regression

Least squares regression line of y on x : $y - \bar{y} = b(x - \bar{x})$

$$b = \frac{S_{xy}}{S_{xx}} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sum (x_i - \bar{x})^2} = \frac{\frac{\sum x_i y_i}{n} - \bar{x} \bar{y}}{\frac{\sum x_i^2}{n} - \bar{x}^2}$$

Estimates

Unbiased estimates from a single sample

\bar{X} for population mean μ ; $\text{Var } \bar{X} = \frac{\sigma^2}{n}$

S^2 for population variance σ^2 where $S^2 = \frac{1}{n-1} \sum (x_i - \bar{x})^2 f_i$

Probability generating functions

For a discrete distribution

$$G(t) = E(t^X)$$

$$E(X) = G'(1); \text{Var}(X) = G''(1) + \mu - \mu^2$$

$$G_{X+Y}(t) = G_X(t) G_Y(t) \text{ for independent } X, Y$$

Moment generating functions:

$$M_X(\theta) = E(e^{\theta X})$$

$$E(X) = M'(0) = \mu; E(X^n) = M^{(n)}(0)$$

$$\text{Var}(X) = M''(0) - \{M'(0)\}^2$$

$$M_{X+Y}(\theta) = M_X(\theta) M_Y(\theta) \text{ for independent } X, Y$$

Markov Chains

$$\mathbf{p}_{n+1} = \mathbf{p}_n \mathbf{P}$$

Long run proportion $\mathbf{p} = \mathbf{pP}$

Bivariate distributions

Covariance $\text{Cov}(X, Y) = E[(X - \mu_X)(Y - \mu_Y)] = E(XY) - \mu_X \mu_Y$

Product-moment correlation coefficient $\rho = \frac{\text{Cov}(X, Y)}{\sigma_X \sigma_Y}$

Sum and difference

$$\text{Var}(aX \pm bY) = a^2 \text{Var}(X) + b^2 \text{Var}(Y) \pm 2ab \text{Cov}(X, Y)$$

If X, Y are independent: $\text{Var}(aX \pm bY) = a^2 \text{Var}(X) + b^2 \text{Var}(Y)$

$$E(XY) = E(X) E(Y)$$

Coding

$$\left. \begin{array}{l} X = aX' + b \\ Y = cY' + d \end{array} \right\} \Rightarrow \text{Cov}(X, Y) = ac \text{Cov}(X', Y')$$

Analysis of variance

One-factor model: $x_{ij} = \mu + \alpha_i + \varepsilon_{ij}$, where $\varepsilon_{ij} \sim N(0, \sigma^2)$

$$SS_B = \sum_i n_i (\bar{x}_i - \bar{x})^2 = \sum_i \frac{T_i^2}{n_i} - \frac{T^2}{n}$$

$$SS_T = \sum_i \sum_j (x_{ij} - \bar{x})^2 = \sum_i \sum_j x_{ij}^2 - \frac{T^2}{n}$$

Regression

Y_i	RSS	No. of parameters, p
$\alpha + \beta x_i + \varepsilon_i$	$\sum (y_i - a - bx_i)^2$	2
$\alpha + \beta f(x_i) + \varepsilon_i$	$\sum (y_i - a - bf(x_i))^2$	2
$\alpha + \beta x_i + \gamma z_i + \varepsilon_i$	$\sum (y_i - a - bx_i - cz_i)^2$	3

$\varepsilon_i \sim N(0, \sigma^2)$ a, b, c are estimates for α, β, γ . $\hat{\sigma}^2 = \frac{\text{RSS}}{n-p}$

For the model $Y_i = \alpha + \beta x_i + \varepsilon_i$,

$$b = \frac{S_{xy}}{S_{xx}}, \quad b \sim N\left(\beta, \frac{\sigma^2}{S_{xx}}\right), \quad \frac{b - \beta}{\sqrt{\hat{\sigma}^2 / S_{xx}}} \sim t_{n-2}$$

$$a = \bar{y} - b\bar{x}, \quad a \sim N\left(\alpha, \frac{\sigma^2 \sum x_i^2}{n S_{xx}}\right)$$

$$a + bx_0 \sim N\left(\alpha + \beta x_0, \sigma^2 \left\{ \frac{1}{n} + \frac{(x_0 - \bar{x})^2}{S_{xx}} \right\}\right)$$

$$\text{RSS} = S_{yy} - \frac{(S_{xy})^2}{S_{xx}} = S_{yy}(1 - r^2)$$

Randomised response technique

$$E(\hat{p}) = \frac{\frac{y}{n} - (1 - \theta)}{(2\theta - 1)}, \quad \text{Var}(\hat{p}) = \frac{[(2\theta - 1)p + (1 - \theta)][\theta - (2\theta - 1)p]}{n(2\theta - 1)^2}$$

Factorial design

Interaction between 1st and 2nd of 3 treatments

$$(-) \left\{ \frac{(Abc - abc) + (AbC - abC)}{2} - \frac{(ABc - aBc) + (ABC - aBC)}{2} \right\}$$

Exponential smoothing

$$\hat{y}_{n+1} = \alpha y_n + \alpha(1 - \alpha)y_{n-1} + \alpha(1 - \alpha)^2 y_{n-2} + \dots + \alpha(1 - \alpha)^{n-1} y_1 + (1 - \alpha)^n y_0$$

$$\hat{y}_{n+1} = \hat{y}_n + \alpha(y_n - \hat{y}_n)$$

$$\hat{y}_{n+1} = \alpha y_n + (1 - \alpha) \hat{y}_n$$

Description	Test statistic	Distribution
Pearson's product moment correlation test	$r = \frac{\sum x_i y_i - \bar{x} \bar{y}}{\sqrt{\left[\left(\frac{\sum x_i^2}{n} - \bar{x}^2 \right) \left(\frac{\sum y_i^2}{n} - \bar{y}^2 \right) \right]}}$	
Spearman rank correlation test	$r_s = 1 - \frac{6 \sum d_i^2}{n(n^2 - 1)}$	
Normal test for a mean	$\frac{\bar{x} - \mu}{\sigma / \sqrt{n}}$	N(0, 1)
t-test for a mean	$\frac{\bar{x} - \mu}{s / \sqrt{n}}$	t_{n-1}
χ^2 test	$\sum \frac{(f_o - f_e)^2}{f_e}$	χ^2_v
t-test for paired sample	$\frac{(\bar{x}_1 - \bar{x}_2) - \mu}{s / \sqrt{n}}$	t with (n - 1) degrees of freedom
Normal test for the difference in the means of 2 samples with different variances	$\frac{(\bar{x} - \bar{y}) - (\mu_1 - \mu_2)}{\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}}$	N(0, 1)

Description	Test statistic	Distribution
t-test for the difference in the means of 2 samples	$\frac{(\bar{x} - \bar{y}) - (\mu_1 - \mu_2)}{s \sqrt{\frac{1}{n_1} + \frac{1}{n_2}}}$ where $s^2 = \frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}$	$t_{n_1 + n_2 - 2}$
Wilcoxon single sample test	A statistic T is calculated from the ranked data.	See tables
Wilcoxon Rank-sum (or Mann-Whitney) 2-Sample test	Samples size $m, n: m \leq n$ Wilcoxon $W =$ sum of ranks of sample size m Mann-Whitney $T = W - \frac{1}{2} m(m + 1)$	See tables
Normal test on binomial proportion	$\frac{p - \theta}{\sqrt{\left(\frac{\theta(1 - \theta)}{n} \right)}}$	N(0, 1)
χ^2 test for variance	$\frac{(n - 1)s^2}{\sigma^2}$	χ^2_{n-1}
F-test on ratio of two variances	$\frac{s_1^2 / \sigma_1^2}{s_2^2 / \sigma_2^2}, \quad s_1^2 > s_2^2$	$F_{n_1 - 1, n_2 - 1}$

Name	Function	Mean	Variance	p.g.f. $G(t)$ (discrete) m.g.f. $M(\theta)$ (continuous)
Binomial $B(n, p)$ <i>Discrete</i>	$P(X = r) = {}^n C_r q^{n-r} p^r$, for $r = 0, 1, \dots, n$, $0 < p < 1, q = 1 - p$	np	npq	$G(t) = (q + pt)^n$
Poisson (λ) <i>Discrete</i>	$P(X = r) = e^{-\lambda} \frac{\lambda^r}{r!}$, for $r = 0, 1, \dots$, $\lambda > 0$	λ	λ	$G(t) = e^{\lambda(t-1)}$
Normal $N(\mu, \sigma^2)$ <i>Continuous</i>	$f(x) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2\right)$, $-\infty < x < \infty$	μ	σ^2	$M(\theta) = \exp(\mu\theta + \frac{1}{2}\sigma^2\theta^2)$
Uniform (Rectangular) on $[a, b]$ <i>Continuous</i>	$f(x) = \frac{1}{b-a}$, $a \leq x \leq b$	$\frac{a+b}{2}$	$\frac{1}{12}(b-a)^2$	$M(\theta) = \frac{e^{b\theta} - e^{a\theta}}{(b-a)\theta}$
Exponential <i>Continuous</i>	$f(x) = \lambda e^{-\lambda x}$, $x \geq 0, \lambda > 0$	$\frac{1}{\lambda}$	$\frac{1}{\lambda^2}$	$M(\theta) = \frac{\lambda}{\lambda - \theta}$
Geometric <i>Discrete</i>	$P(X = r) = q^{r-1} p$, $r = 1, 2, \dots$, $0 < p < 1$, $q = 1 - p$	$\frac{1}{p}$	$\frac{q}{p^2}$	$G(t) = \frac{pt}{1-qt}$
Negative binomial <i>Discrete</i>	$P(X = r) = {}^{r-1} C_{n-1} q^{r-n} p^n$, $r = n, n+1, \dots$, $0 < p < 1$, $q = 1 - p$	$\frac{n}{p}$	$\frac{nq}{p^2}$	$G(t) = \left(\frac{pt}{1-qt}\right)^n$

Numerical Solution of Equations

The Newton-Raphson iteration for solving $f(x) = 0 : x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)}$

Numerical integration

The trapezium rule

$$\int_a^b y dx \approx \frac{1}{2} h \{ (y_0 + y_n) + 2(y_1 + y_2 + \dots + y_{n-1}) \}, \text{ where } h = \frac{b-a}{n}$$

The mid-ordinate rule

$$\int_a^b y dx \approx h (y_{\frac{1}{2}} + y_{1\frac{1}{2}} + \dots + y_{n-1\frac{1}{2}} + y_{n-\frac{1}{2}}), \text{ where } h = \frac{b-a}{n}$$

Simpson's rule

for n even

$$\int_a^b y dx \approx \frac{1}{3} h \{ (y_0 + y_n) + 4(y_1 + y_3 + \dots + y_{n-1}) + 2(y_2 + y_4 + \dots + y_{n-2}) \},$$

where $h = \frac{b-a}{n}$

The Gaussian 2-point integration rule

$$\int_{-h}^h f(x) dx \approx h \left[f\left(\frac{-h}{\sqrt{3}}\right) + f\left(\frac{h}{\sqrt{3}}\right) \right]$$

Interpolation/finite differences

Lagrange's polynomial : $P_n(x) = \sum L_r(x)f(x)$ where $L_r(x) = \prod_{\substack{i=0 \\ i \neq r}}^n \frac{x - x_i}{x_r - x_i}$

Newton's forward difference interpolation formula

$$f(x) = f(x_0) + \frac{(x - x_0)}{h} \Delta f(x_0) + \frac{(x - x_0)(x - x_1)}{2!h^2} \Delta^2 f(x_0) + \dots$$

Newton's divided difference interpolation formula

$$f(x) = f[x_0] + (x - x_0)f[x_0, x_1] + (x - x_0)(x - x_1)f[x_0, x_1, x_2] + \dots$$

Numerical differentiation

$$f''(x) \approx \frac{f(x+h) - 2f(x) + f(x-h)}{h^2}$$

Taylor polynomials

$$f(a+h) = f(a) + hf'(a) + \frac{h^2}{2!} f''(a) + \text{error}$$

$$f(a+h) = f(a) + hf'(a) + \frac{h^2}{2!} f''(a + \xi), \quad 0 < \xi < h$$

$$f(x) = f(a) + (x-a)f'(a) + \frac{(x-a)^2}{2!} f''(a) + \text{error}$$

$$f(x) = f(a) + (x-a)f'(a) + \frac{(x-a)^2}{2!} f''(\eta), \quad a < \eta < x$$

Numerical solution of differential equations

For $\frac{dy}{dx} = f(x, y)$:

Euler's method : $y_{r+1} = y_r + hf(x_r, y_r); \quad x_{r+1} = x_r + h$

Runge-Kutta method (order 2) (modified Euler method)

$$y_{r+1} = y_r + \frac{1}{2} (k_1 + k_2)$$

where $k_1 = hf(x_r, y_r), \quad k_2 = hf(x_r + h, y_r + k_1)$

Runge-Kutta method, order 4:

$$y_{r+1} = y_r + \frac{1}{6} (k_1 + 2k_2 + 2k_3 + k_4),$$





where $k_1 = hf(x_r, y_r)$

$k_2 = hf(x_r + \frac{1}{2}h, y_r + \frac{1}{2}k_1)$

$k_3 = hf(x_r + \frac{1}{2}h, y_r + \frac{1}{2}k_2)$

$k_4 = hf(x_r + h, y_r + k_3).$

Logic gates



Statistical Tables

12–17	Cumulative binomial probability
18–20	Cumulative Poisson probability
21	Critical values for correlation coefficients
22	The Normal distribution and its inverse
23	Percentage points of the χ^2 distribution
23	Percentage points of the t -distribution
24–25	Critical values for the F -test
26–27	Critical values for the Mann-Whitney test
28–29	Critical values for the Wilcoxon Rank Sum 2-sample test
30	Critical values for the Wilcoxon Single sample and Paired sample tests
30	Shewhart Chart: Action and Warning lines
31	Estimation of standard deviation from range
31–32	Random permutations

The Binomial distribution: cumulative probabilities

$$P(X \leq x) = \sum_{r=0}^x {}^n C_r (1-p)^{n-r} p^r$$

n	$\frac{p}{x}$	0.050	0.100	0.150	1/6	0.200	0.250	0.300	1/3	0.350	0.400	0.450	0.500	0.550	0.600	0.650	2/3	0.700	0.750	0.800	5/6	0.850	0.900	0.950
1	0	0.9500	0.9000	0.8500	0.8333	0.8000	0.7500	0.7000	0.6667	0.6500	0.6000	0.5500	0.5000	0.4500	0.4000	0.3500	0.3333	0.3000	0.2500	0.2000	0.1667	0.1500	0.1000	0.0500
	1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2	0	0.9025	0.8100	0.7225	0.6944	0.6400	0.5625	0.4900	0.4444	0.4225	0.3600	0.3025	0.2500	0.2025	0.1600	0.1225	0.1111	0.0900	0.0625	0.0400	0.0278	0.0225	0.0100	0.0025
	1	0.9975	0.9900	0.9775	0.9722	0.9600	0.9375	0.9100	0.8889	0.8775	0.8400	0.7975	0.7500	0.6975	0.6400	0.5775	0.5556	0.5100	0.4375	0.3600	0.3056	0.2775	0.1900	0.0975
	2	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3	0	0.8574	0.7290	0.6141	0.5787	0.5120	0.4219	0.3430	0.2963	0.2746	0.2160	0.1664	0.1250	0.0911	0.0640	0.0429	0.0370	0.0270	0.0156	0.0080	0.0046	0.0034	0.0010	0.0001
	1	0.9928	0.9720	0.9392	0.9259	0.8960	0.8437	0.7840	0.7407	0.7183	0.6480	0.5748	0.5000	0.4252	0.3520	0.2818	0.2593	0.2160	0.1563	0.1040	0.0741	0.0608	0.0280	0.0073
	2	0.9999	0.9990	0.9966	0.9954	0.9920	0.9844	0.9730	0.9630	0.9571	0.9360	0.9089	0.8750	0.8336	0.7840	0.7254	0.7037	0.6570	0.5781	0.4880	0.4213	0.3859	0.2710	0.1426
	3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4	0	0.8145	0.6561	0.5220	0.4823	0.4096	0.3164	0.2401	0.1975	0.1785	0.1296	0.0915	0.0625	0.0410	0.0256	0.0150	0.0123	0.0081	0.0039	0.0016	0.0008	0.0005	0.0001	0.0000
	1	0.9860	0.9477	0.8905	0.8681	0.8192	0.7383	0.6517	0.5926	0.5630	0.4752	0.3910	0.3125	0.2415	0.1792	0.1265	0.1111	0.0837	0.0508	0.0272	0.0162	0.0120	0.0037	0.0005
	2	0.9995	0.9963	0.9880	0.9838	0.9728	0.9492	0.9163	0.8889	0.8735	0.8208	0.7585	0.6875	0.6090	0.5248	0.4370	0.4074	0.3483	0.2617	0.1808	0.1319	0.1095	0.0523	0.0140
	3	1.0000	0.9999	0.9995	0.9992	0.9984	0.9961	0.9919	0.9877	0.9850	0.9744	0.9590	0.9375	0.9085	0.8704	0.8215	0.8025	0.7599	0.6836	0.5904	0.5177	0.4780	0.3439	0.1855
	4	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5	0	0.7738	0.5905	0.4437	0.4019	0.3277	0.2373	0.1681	0.1317	0.1160	0.0778	0.0503	0.0313	0.0185	0.0102	0.0053	0.0041	0.0024	0.0010	0.0003	0.0001	0.0001	0.0000	0.0000
	1	0.9774	0.9185	0.8352	0.8038	0.7373	0.6328	0.5282	0.4609	0.4284	0.3370	0.2562	0.1875	0.1312	0.0870	0.0540	0.0453	0.0308	0.0156	0.0067	0.0033	0.0022	0.0005	0.0000
	2	0.9988	0.9914	0.9734	0.9645	0.9421	0.8965	0.8369	0.7901	0.7648	0.6826	0.5931	0.5000	0.4069	0.3174	0.2352	0.2099	0.1631	0.1035	0.0579	0.0355	0.0266	0.0086	0.0012
	3	1.0000	0.9995	0.9978	0.9967	0.9933	0.9844	0.9692	0.9547	0.9460	0.9130	0.8688	0.8125	0.7438	0.6630	0.5716	0.5391	0.4718	0.3672	0.2627	0.1962	0.1648	0.0815	0.0226
	4	1.0000	0.9999	0.9999	0.9999	0.9997	0.9990	0.9976	0.9959	0.9947	0.9898	0.9815	0.9688	0.9497	0.9222	0.8840	0.8683	0.8319	0.7627	0.6723	0.5981	0.5563	0.4095	0.2262
6	0	0.7351	0.5314	0.3771	0.3349	0.2621	0.1780	0.1176	0.0878	0.0754	0.0467	0.0277	0.0156	0.0083	0.0041	0.0018	0.0014	0.0007	0.0002	0.0001	0.0000	0.0000	0.0000	0.0000
	1	0.9672	0.8857	0.7765	0.7368	0.6554	0.5339	0.4202	0.3512	0.3191	0.2333	0.1636	0.1094	0.0692	0.0410	0.0223	0.0178	0.0109	0.0046	0.0016	0.0007	0.0004	0.0001	0.0000
	2	0.9978	0.9841	0.9527	0.9377	0.9011	0.8306	0.7443	0.6804	0.6471	0.5443	0.4415	0.3438	0.2553	0.1792	0.1174	0.1001	0.0705	0.0376	0.0170	0.0087	0.0059	0.0013	0.0001
	3	0.9999	0.9987	0.9941	0.9913	0.9830	0.9624	0.9295	0.8999	0.8826	0.8208	0.7447	0.6563	0.5585	0.4557	0.3529	0.3196	0.2557	0.1694	0.0989	0.0623	0.0473	0.0159	0.0022
	4	1.0000	0.9999	0.9996	0.9993	0.9984	0.9954	0.9891	0.9822	0.9777	0.9590	0.9308	0.8906	0.8364	0.7667	0.6809	0.6488	0.5798	0.4661	0.3446	0.2632	0.2235	0.1143	0.0328
	5	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998	0.9993	0.9986	0.9982	0.9959	0.9917	0.9844	0.9723	0.9533	0.9246	0.9122	0.8824	0.8220	0.7379	0.6651	0.6229	0.4686	0.2649
7	0	0.6983	0.4783	0.3206	0.2791	0.2097	0.1335	0.0824	0.0585	0.0490	0.0280	0.0152	0.0078	0.0037	0.0016	0.0006	0.0005	0.0002	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000
	1	0.9556	0.8503	0.7166	0.6698	0.5767	0.4449	0.3294	0.2634	0.2338	0.1586	0.1024	0.0625	0.0357	0.0188	0.0090	0.0069	0.0038	0.0013	0.0004	0.0001	0.0001	0.0000	0.0000
	2	0.9962	0.9743	0.9262	0.9042	0.8520	0.7564	0.6471	0.5706	0.5323	0.4199	0.3164	0.2266	0.1529	0.0963	0.0556	0.0453	0.0288	0.0129	0.0047	0.0020	0.0012	0.0002	0.0000
	3	0.9998	0.9973	0.9879	0.9824	0.9667	0.9294	0.8740	0.8267	0.8002	0.7102	0.6083	0.5000	0.3917	0.2898	0.1998	0.1733	0.1260	0.0706	0.0333	0.0176	0.0121	0.0027	0.0002
	4	1.0000	0.9998	0.9988	0.9980	0.9953	0.9871	0.9712	0.9547	0.9444	0.9037	0.8471	0.7734	0.6836	0.5801	0.4677	0.4294	0.3529	0.2436	0.1480	0.0958	0.0738	0.0257	0.0038
	5	1.0000	0.9999	0.9999	0.9999	0.9996	0.9987	0.9962	0.9931	0.9910	0.9812	0.9643	0.9375	0.8976	0.8414	0.7662	0.7366	0.6706	0.5551	0.4233	0.3302	0.2834	0.1497	0.0444
	6	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9998	0.9995	0.9994	0.9984	0.9963	0.9922	0.9848	0.9720	0.9510	0.9415	0.9176	0.8665	0.7903	0.7209	0.6794	0.5217	0.3017
7	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	

CUMULATIVE BINOMIAL PROBABILITY

n	$\frac{p}{x}$	0.050	0.100	0.150	1/6	0.200	0.250	0.300	1/3	0.350	0.400	0.450	0.500	0.550	0.600	0.650	2/3	0.700	0.750	0.800	5/6	0.850	0.900	0.950			
18	0	0.3972	0.1501	0.0536	0.0376	0.0180	0.0056	0.0016	0.0007	0.0004	0.0001	0.0000	0.0000														
	1	0.7735	0.4503	0.2241	0.1728	0.0991	0.0395	0.0142	0.0068	0.0046	0.0013	0.0003	0.0001	0.0000													
	2	0.9419	0.7338	0.4794	0.4027	0.2713	0.1353	0.0600	0.0326	0.0236	0.0082	0.0025	0.0007	0.0001	0.0000												
	3	0.9891	0.9018	0.7202	0.6479	0.5010	0.3057	0.1646	0.1017	0.0783	0.0328	0.0120	0.0038	0.0010	0.0002	0.0000	0.0000										
	4	0.9985	0.9718	0.8794	0.8318	0.7164	0.5187	0.3327	0.2311	0.1886	0.0942	0.0411	0.0154	0.0049	0.0013	0.0003	0.0001	0.0000									
	5	0.9998	0.9936	0.9581	0.9347	0.8671	0.7175	0.5344	0.4122	0.3550	0.2088	0.1077	0.0481	0.0183	0.0058	0.0014	0.0009	0.0003	0.0000								
	6	1.0000	0.9988	0.9882	0.9794	0.9487	0.8610	0.7217	0.6085	0.5491	0.3743	0.2258	0.1189	0.0537	0.0203	0.0062	0.0039	0.0014	0.0002	0.0000							
	7		0.9998	0.9973	0.9947	0.9837	0.9431	0.8593	0.7767	0.7283	0.5634	0.3915	0.2403	0.1280	0.0576	0.0212	0.0144	0.0061	0.0012	0.0002	0.0000	0.0000					
	8		1.0000	0.9995	0.9989	0.9957	0.9807	0.9404	0.8924	0.8609	0.7368	0.5778	0.4073	0.2527	0.1347	0.0597	0.0433	0.0210	0.0054	0.0009	0.0002	0.0001					
	9			0.9999	0.9998	0.9991	0.9946	0.9790	0.9567	0.9403	0.8653	0.7473	0.5927	0.4222	0.2632	0.1391	0.1076	0.0596	0.0193	0.0043	0.0011	0.0005	0.0000				
	10			1.0000	1.0000	0.9998	0.9988	0.9939	0.9856	0.9788	0.9424	0.8720	0.7597	0.6085	0.4366	0.2717	0.2233	0.1407	0.0569	0.0163	0.0053	0.0027	0.0002				
	11					1.0000	0.9998	0.9986	0.9961	0.9938	0.9797	0.9463	0.8811	0.7742	0.6257	0.4509	0.3915	0.2783	0.1390	0.0513	0.0206	0.0118	0.0012	0.0000			
	12						1.0000	0.9997	0.9991	0.9986	0.9942	0.9817	0.9519	0.8923	0.7912	0.6450	0.5878	0.4656	0.2825	0.1329	0.0653	0.0419	0.0064	0.0002			
	13							1.0000	0.9999	0.9997	0.9987	0.9951	0.9846	0.9589	0.9058	0.8114	0.7689	0.6673	0.4813	0.2836	0.1682	0.1206	0.0282	0.0015			
	14								1.0000	1.0000	0.9998	0.9990	0.9962	0.9880	0.9672	0.9217	0.8983	0.8354	0.6943	0.4990	0.3521	0.2798	0.0982	0.0109			
	15										1.0000	0.9999	0.9993	0.9975	0.9918	0.9764	0.9674	0.9400	0.8647	0.7287	0.5973	0.5203	0.2662	0.0581			
	16											1.0000	0.9999	0.9997	0.9987	0.9954	0.9932	0.9858	0.9605	0.9009	0.8272	0.7759	0.5497	0.2265			
	17												1.0000	1.0000	0.9999	0.9996	0.9993	0.9984	0.9944	0.9820	0.9624	0.9464	0.8499	0.6028			
	18														1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		
19	0	0.3774	0.1351	0.0456	0.0313	0.0144	0.0042	0.0011	0.0005	0.0003	0.0001	0.0000															
	1	0.7547	0.4203	0.1985	0.1502	0.0829	0.0310	0.0104	0.0047	0.0031	0.0008	0.0002	0.0000	0.0000													
	2	0.9335	0.7054	0.4413	0.3643	0.2369	0.1113	0.0462	0.0240	0.0170	0.0055	0.0015	0.0004	0.0001	0.0000												
	3	0.9868	0.8850	0.6841	0.6070	0.4551	0.2631	0.1332	0.0787	0.0591	0.0230	0.0077	0.0022	0.0005	0.0001	0.0000	0.0000										
	4	0.9980	0.9648	0.8556	0.8011	0.6733	0.4654	0.2822	0.1879	0.1500	0.0696	0.0280	0.0096	0.0028	0.0006	0.0001	0.0001	0.0000									
	5	0.9998	0.9914	0.9463	0.9176	0.8369	0.6678	0.4739	0.3519	0.2968	0.1629	0.0777	0.0318	0.0109	0.0031	0.0007	0.0004	0.0001	0.0000								
	6	1.0000	0.9983	0.9837	0.9719	0.9324	0.8251	0.6655	0.5431	0.4812	0.3081	0.1727	0.0835	0.0342	0.0116	0.0031	0.0019	0.0006	0.0001								
	7		0.9997	0.9959	0.9921	0.9767	0.9225	0.8180	0.7207	0.6656	0.4878	0.3169	0.1796	0.0871	0.0352	0.0114	0.0074	0.0028	0.0005	0.0000	0.0000						
	8		1.0000	0.9992	0.9982	0.9933	0.9713	0.9161	0.8538	0.8145	0.6675	0.4940	0.3238	0.1841	0.0885	0.0347	0.0241	0.0105	0.0023	0.0003	0.0001	0.0000					
	9			0.9999	0.9996	0.9984	0.9911	0.9674	0.9352	0.9125	0.8139	0.6710	0.5000	0.3290	0.1861	0.0875	0.0648	0.0326	0.0089	0.0016	0.0004	0.0001					
	10			1.0000	0.9999	0.9997	0.9977	0.9895	0.9759	0.9653	0.9115	0.8159	0.6762	0.5060	0.3325	0.1855	0.1462	0.0839	0.0287	0.0067	0.0018	0.0008	0.0000				
	11				1.0000	1.0000	0.9995	0.9972	0.9926	0.9886	0.9648	0.9129	0.8204	0.6831	0.5122	0.3344	0.2793	0.1820	0.0775	0.0233	0.0079	0.0041	0.0003				
	12						0.9999	0.9994	0.9981	0.9969	0.9884	0.9658	0.9165	0.8273	0.6919	0.5188	0.4569	0.3345	0.1749	0.0676	0.0281	0.0163	0.0017				
	13						1.0000	0.9999	0.9996	0.9993	0.9969	0.9891	0.9682	0.9223	0.8371	0.7032	0.6481	0.5261	0.3322	0.1631	0.0824	0.0537	0.0086	0.0002			
	14							1.0000	0.9999	0.9999	0.9994	0.9972	0.9904	0.9720	0.9304	0.8500	0.8121	0.7178	0.5346	0.3267	0.1989	0.1444	0.0352	0.0020			
	15								1.0000	1.0000	0.9999	0.9995	0.9978	0.9923	0.9770	0.9409	0.9213	0.8668	0.7369	0.5449	0.3930	0.3159	0.1150	0.0132			
	16										1.0000	0.9999	0.9996	0.9985	0.9945	0.9830	0.9760	0.9538	0.8887	0.7631	0.6357	0.5587	0.2946	0.0665			
	17											1.0000	1.0000	0.9998	0.9992	0.9969	0.9953	0.9896	0.9690	0.9171	0.8498	0.8015	0.5797	0.2453			
	18													1.0000	0.9999	0.9997	0.9995	0.9989	0.9958	0.9856	0.9687	0.9544	0.8649	0.6226			
	19														1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		

n	$\frac{p}{x}$	0.050	0.100	0.150	1/6	0.200	0.250	0.300	1/3	0.350	0.400	0.450	0.500	0.550	0.600	0.650	2/3	0.700	0.750	0.800	5/6	0.850	0.900	0.950		
20	0	0.3585	0.1216	0.0388	0.0261	0.0115	0.0032	0.0008	0.0003	0.0002	0.0000	0.0000														
	1	0.7358	0.3917	0.1756	0.1304	0.0692	0.0243	0.0076	0.0033	0.0021	0.0005	0.0001	0.0000													
	2	0.9245	0.6769	0.4049	0.3287	0.2061	0.0913	0.0355	0.0176	0.0121	0.0036	0.0009	0.0002	0.0000												
	3	0.9841	0.8670	0.6477	0.5665	0.4114	0.2252	0.1071	0.0604	0.0444	0.0160	0.0049	0.0013	0.0003	0.0000											
	4	0.9974	0.9568	0.8298	0.7687	0.6296	0.4148	0.2375	0.1515	0.1182	0.0510	0.0189	0.0059	0.0015	0.0003	0.0000	0.0000									
	5	0.9997	0.9887	0.9327	0.8982	0.8042	0.6172	0.4164	0.2972	0.2454	0.1256	0.0553	0.0207	0.0064	0.0016	0.0003	0.0002	0.0000								
	6	1.0000	0.9976	0.9781	0.9629	0.9133	0.7858	0.6080	0.4793	0.4166	0.2500	0.1299	0.0577	0.0214	0.0065	0.0015	0.0009	0.0003	0.0000							
	7		0.9996	0.9941	0.9887	0.9679	0.8982	0.7723	0.6615	0.6010	0.4159	0.2520	0.1316	0.0580	0.0210	0.0060	0.0037	0.0013	0.0002	0.0000						
	8		0.9999	0.9987	0.9972	0.9900	0.9591	0.8867	0.8095	0.7624	0.5956	0.4143	0.2517	0.1308	0.0565	0.0196	0.0130	0.0051	0.0009	0.0001	0.0000					
	9		1.0000	0.9998	0.9994	0.9974	0.9861	0.9520	0.9081	0.8782	0.7553	0.5914	0.4119	0.2493	0.1275	0.0532	0.0376	0.0171	0.0039	0.0006	0.0001	0.0000				
	10			1.0000	0.9999	0.9994	0.9961	0.9829	0.9624	0.9468	0.8725	0.7507	0.5881	0.4086	0.2447	0.1218	0.0919	0.0480	0.0139	0.0026	0.0006	0.0002	0.0000			
	11				1.0000	0.9999	0.9991	0.9949	0.9870	0.9804	0.9435	0.8692	0.7483	0.5857	0.4044	0.2376	0.1905	0.1133	0.0409	0.0100	0.0028	0.0013	0.0001			
	12					1.0000	0.9998	0.9987	0.9963	0.9940	0.9790	0.9420	0.8684	0.7480	0.5841	0.3990	0.3385	0.2277	0.1018	0.0321	0.0113	0.0059	0.0004			
	13						1.0000	0.9997	0.9991	0.9985	0.9935	0.9786	0.9423	0.8701	0.7500	0.5834	0.5207	0.3920	0.2142	0.0867	0.0371	0.0219	0.0024	0.0000		
	14							1.0000	0.9998	0.9998	0.9984	0.9936	0.9793	0.9447	0.8744	0.7546	0.7028	0.5836	0.3828	0.1958	0.1018	0.0673	0.0113	0.0003		
	15								1.0000	1.0000	0.9997	0.9985	0.9941	0.9811	0.9490	0.8818	0.8485	0.7625	0.5852	0.3704	0.2313	0.1702	0.0432	0.0026		
	16										1.0000	0.9997	0.9987	0.9951	0.9840	0.9556	0.9396	0.8929	0.7748	0.5886	0.4335	0.3523	0.1330	0.0159		
	17											1.0000	0.9998	0.9991	0.9964	0.9879	0.9824	0.9645	0.9087	0.7939	0.6713	0.5951	0.3231	0.0755		
	18												1.0000	0.9999	0.9995	0.9979	0.9967	0.9924	0.9757	0.9308	0.8696	0.8244	0.6083	0.2642		
	19													1.0000	1.0000	0.9998	0.9997	0.9992	0.9968	0.9885	0.9739	0.9612	0.8784	0.6415		
20															1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		

The Poisson distribution: cumulative probabilities

$$P(X \leq x) = \sum_{r=0}^x e^{-\lambda} \frac{\lambda^r}{r!}$$

CUMULATIVE POISSON PROBABILITY

$x \backslash \lambda$	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0	0.9900	0.9802	0.9704	0.9608	0.9512	0.9418	0.9324	0.9231	0.9139
1	1.0000	0.9998	0.9996	0.9992	0.9988	0.9983	0.9977	0.9970	0.9962
2	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999
3	1.0000	1.0000	1.0000

$x \backslash \lambda$	3.00	3.10	3.20	3.30	3.40	3.50	3.60	3.70	3.80	3.90
0	0.0498	0.0450	0.0408	0.0369	0.0334	0.0302	0.0273	0.0247	0.0224	0.0202
1	0.1991	0.1847	0.1712	0.1586	0.1468	0.1359	0.1257	0.1162	0.1074	0.0992
2	0.4232	0.4012	0.3799	0.3594	0.3397	0.3208	0.3027	0.2854	0.2689	0.2531
3	0.6472	0.6248	0.6025	0.5803	0.5584	0.5366	0.5152	0.4942	0.4735	0.4532
4	0.8153	0.7982	0.7806	0.7626	0.7442	0.7254	0.7064	0.6872	0.6678	0.6484
5	0.9161	0.9057	0.8946	0.8829	0.8705	0.8576	0.8441	0.8301	0.8156	0.8006
6	0.9665	0.9612	0.9554	0.9490	0.9421	0.9347	0.9267	0.9182	0.9091	0.8995
7	0.9881	0.9858	0.9832	0.9802	0.9769	0.9733	0.9692	0.9648	0.9599	0.9546
8	0.9962	0.9953	0.9943	0.9931	0.9917	0.9901	0.9883	0.9863	0.9840	0.9815
9	0.9989	0.9986	0.9982	0.9978	0.9973	0.9967	0.9960	0.9952	0.9942	0.9931
10	0.9997	0.9996	0.9995	0.9994	0.9992	0.9990	0.9987	0.9984	0.9981	0.9977
11	0.9999	0.9999	0.9999	0.9998	0.9998	0.9997	0.9996	0.9995	0.9994	0.9993
12	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999	0.9999	0.9998	0.9998
13	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999
14	1.0000

$x \backslash \lambda$	0.10	0.20	0.30	0.40	0.50	0.60	0.70	0.80	0.90
0	0.9048	0.8187	0.7408	0.6703	0.6065	0.5488	0.4966	0.4493	0.4066
1	0.9953	0.9825	0.9631	0.9384	0.9098	0.8781	0.8442	0.8088	0.7725
2	0.9998	0.9989	0.9964	0.9921	0.9856	0.9769	0.9659	0.9526	0.9371
3	1.0000	0.9999	0.9997	0.9992	0.9982	0.9966	0.9942	0.9909	0.9865
4	1.0000	1.0000	0.9999	0.9998	0.9996	0.9992	0.9986	0.9977
5	1.0000	1.0000	1.0000	0.9999	0.9998	0.9997
6	1.0000	1.0000	1.0000
7

$x \backslash \lambda$	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.90
0	0.3679	0.3329	0.3012	0.2725	0.2466	0.2231	0.2019	0.1827	0.1653	0.1496
1	0.7358	0.6990	0.6626	0.6268	0.5918	0.5578	0.5249	0.4932	0.4628	0.4337
2	0.9197	0.9004	0.8795	0.8571	0.8335	0.8088	0.7834	0.7572	0.7306	0.7037
3	0.9810	0.9743	0.9662	0.9569	0.9463	0.9344	0.9212	0.9068	0.8913	0.8747
4	0.9963	0.9946	0.9923	0.9893	0.9857	0.9814	0.9763	0.9704	0.9636	0.9559
5	0.9994	0.9990	0.9985	0.9978	0.9968	0.9955	0.9940	0.9920	0.9896	0.9868
6	0.9999	0.9999	0.9997	0.9996	0.9994	0.9991	0.9987	0.9981	0.9974	0.9966
7	1.0000	1.0000	1.0000	0.9999	0.9999	0.9998	0.9997	0.9996	0.9994	0.9992
8	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999	0.9998
9	1.0000	1.0000	1.0000	1.0000

$x \backslash \lambda$	4.00	4.10	4.20	4.30	4.40	4.50	4.60	4.70	4.80	4.90
0	0.0183	0.0166	0.0150	0.0136	0.0123	0.0111	0.0101	0.0091	0.0082	0.0074
1	0.0916	0.0845	0.0780	0.0719	0.0663	0.0611	0.0563	0.0518	0.0477	0.0439
2	0.2381	0.2238	0.2102	0.1974	0.1851	0.1736	0.1626	0.1523	0.1425	0.1333
3	0.4335	0.4142	0.3954	0.3772	0.3594	0.3423	0.3257	0.3097	0.2942	0.2793
4	0.6288	0.6093	0.5898	0.5704	0.5512	0.5321	0.5132	0.4946	0.4763	0.4582
5	0.7851	0.7693	0.7531	0.7367	0.7199	0.7029	0.6858	0.6684	0.6510	0.6335
6	0.8893	0.8786	0.8675	0.8558	0.8436	0.8311	0.8180	0.8046	0.7908	0.7767
7	0.9489	0.9427	0.9361	0.9290	0.9214	0.9134	0.9049	0.8960	0.8867	0.8769
8	0.9786	0.9755	0.9721	0.9683	0.9642	0.9597	0.9549	0.9497	0.9442	0.9382
9	0.9919	0.9905	0.9889	0.9871	0.9851	0.9829	0.9805	0.9778	0.9749	0.9717
10	0.9972	0.9966	0.9959	0.9952	0.9943	0.9933	0.9922	0.9910	0.9896	0.9880
11	0.9991	0.9989	0.9986	0.9983	0.9980	0.9976	0.9971	0.9966	0.9960	0.9953
12	0.9997	0.9997	0.9996	0.9995	0.9993	0.9992	0.9990	0.9988	0.9986	0.9983
13	0.9999	0.9999	0.9999	0.9998	0.9998	0.9997	0.9997	0.9996	0.9995	0.9994
14	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999	0.9999	0.9999	0.9998
15	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999
16	1.0000

$x \backslash \lambda$	2.00	2.10	2.20	2.30	2.40	2.50	2.60	2.70	2.80	2.90
0	0.1353	0.1225	0.1108	0.1003	0.0907	0.0821	0.0743	0.0672	0.0608	0.0550
1	0.4060	0.3796	0.3546	0.3309	0.3084	0.2873	0.2674	0.2487	0.2311	0.2146
2	0.6767	0.6496	0.6227	0.5960	0.5697	0.5438	0.5184	0.4936	0.4695	0.4460
3	0.8571	0.8386	0.8194	0.7993	0.7787	0.7576	0.7360	0.7141	0.6919	0.6696
4	0.9473	0.9379	0.9275	0.9162	0.9041	0.8912	0.8774	0.8629	0.8477	0.8318
5	0.9834	0.9796	0.9751	0.9700	0.9643	0.9580	0.9510	0.9433	0.9349	0.9258
6	0.9955	0.9941	0.9925	0.9906	0.9884	0.9858	0.9828	0.9794	0.9756	0.9713
7	0.9989	0.9985	0.9980	0.9974	0.9967	0.9958	0.9947	0.9934	0.9919	0.9901
8	0.9998	0.9997	0.9995	0.9994	0.9991	0.9989	0.9985	0.9981	0.9976	0.9969
9	1.0000	0.9999	0.9999	0.9999	0.9998	0.9997	0.9996	0.9995	0.9993	0.9991
10	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999	0.9998	0.9998
11	1.0000	1.0000	1.0000	1.0000	0.9999
12	1.0000

$x \backslash \lambda$	9.00	9.10	9.20	9.30	9.40	9.50	9.60	9.70	9.80	9.90
0	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
1	0.0012	0.0011	0.0010	0.0009	0.0009	0.0008	0.0007	0.0007	0.0006	0.0005
2	0.0062	0.0058	0.0053	0.0049	0.0045	0.0042	0.0038	0.0035	0.0033	0.0030
3	0.0212	0.0198	0.0184	0.0172	0.0160	0.0149	0.0138	0.0129	0.0120	0.0111
4	0.0550	0.0517	0.0486	0.0456	0.0429	0.0403	0.0378	0.0355	0.0333	0.0312
5	0.1157	0.1098	0.1041	0.0986	0.0935	0.0885	0.0838	0.0793	0.0750	0.0710
6	0.2068	0.1978	0.1892	0.1808	0.1727	0.1649	0.1574	0.1502	0.1433	0.1366
7	0.3239	0.3123	0.3010	0.2900	0.2792	0.2687	0.2584	0.2485	0.2388	0.2294
8	0.4557	0.4426	0.4296	0.4168	0.4042	0.3918	0.3796	0.3676	0.3558	0.3442
9	0.5874	0.5742	0.5611	0.5479	0.5349	0.5218	0.5089	0.4960	0.4832	0.4705
10	0.7060	0.6941	0.6820	0.6699	0.6576	0.6453	0.6329	0.6205	0.6080	0.5955
11	0.8030	0.7932	0.7832	0.7730	0.7626	0.7520	0.7412	0.7303	0.7193	0.7081
12	0.8758	0.8684	0.8607	0.8529	0.8448	0.8364	0.8279	0.8191	0.8101	0.8009
13	0.9261	0.9210	0.9156	0.9100	0.9042	0.8981	0.8919	0.8853	0.8786	0.8716
14	0.9585	0.9552	0.9517	0.9480	0.9441	0.9400	0.9357	0.9312	0.9265	0.9216
15	0.9780	0.9760	0.9738	0.9715	0.9691	0.9665	0.9638	0.9609	0.9579	0.9546
16	0.9889	0.9878	0.9865	0.9852	0.9838	0.9823	0.9806	0.9789	0.9770	0.9751
17	0.9947	0.9941	0.9934	0.9927	0.9919	0.9911	0.9902	0.9892	0.9881	0.9870
18	0.9976	0.9973	0.9969	0.9966	0.9962	0.9957	0.9952	0.9947	0.9941	0.9935
19	0.9989	0.9988	0.9986	0.9985	0.9983	0.9980	0.9978	0.9975	0.9972	0.9969
20	0.9996	0.9995	0.9994	0.9993	0.9992	0.9991	0.9990	0.9989	0.9987	0.9986
21	0.9998	0.9998	0.9998	0.9997	0.9997	0.9996	0.9996	0.9995	0.9995	0.9994
22	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9998	0.9998	0.9998	0.9997
23	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999	0.9999	0.9999
24	1.0000	1.0000	1.0000	1.0000	1.0000

$x \backslash \lambda$	10.00	10.10	10.20	10.30	10.40	10.50	10.60	10.70	10.80	10.90
0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	0.0005	0.0005	0.0004	0.0004	0.0003	0.0003	0.0003	0.0003	0.0002	0.0002
2	0.0028	0.0026	0.0023	0.0022	0.0020	0.0018	0.0017	0.0016	0.0014	0.0013
3	0.0103	0.0096	0.0089	0.0083	0.0077	0.0071	0.0066	0.0062	0.0057	0.0053
4	0.0293	0.0274	0.0257	0.0241	0.0225	0.0211	0.0197	0.0185	0.0173	0.0162
5	0.0671	0.0634	0.0599	0.0566	0.0534	0.0504	0.0475	0.0448	0.0423	0.0398
6	0.1301	0.1240	0.1180	0.1123	0.1069	0.1016	0.0966	0.0918	0.0872	0.0828
7	0.2202	0.2113	0.2027	0.1944	0.1863	0.1785	0.1710	0.1636	0.1566	0.1498
8	0.3328	0.3217	0.3108	0.3001	0.2896	0.2794	0.2694	0.2597	0.2502	0.2410
9	0.4579	0.4455	0.4332	0.4210	0.4090	0.3971	0.3854	0.3739	0.3626	0.3515
10	0.5830	0.5705	0.5580	0.5456	0.5331	0.5207	0.5084	0.4961	0.4840	0.4719
11	0.6968	0.6853	0.6738	0.6622	0.6505	0.6387	0.6269	0.6150	0.6031	0.5912
12	0.7916	0.7820	0.7722	0.7623	0.7522	0.7420	0.7316	0.7210	0.7104	0.6996
13	0.8645	0.8571	0.8494	0.8416	0.8336	0.8253	0.8169	0.8083	0.7995	0.7905
14	0.9165	0.9112	0.9057	0.9000	0.8940	0.8879	0.8815	0.8750	0.8682	0.8612
15	0.9513	0.9477	0.9440	0.9400	0.9359	0.9317	0.9272	0.9225	0.9177	0.9126
16	0.9730	0.9707	0.9684	0.9658	0.9632	0.9604	0.9574	0.9543	0.9511	0.9477
17	0.9857	0.9844	0.9830	0.9815	0.9799	0.9781	0.9763	0.9744	0.9723	0.9701
18	0.9928	0.9921	0.9913	0.9904	0.9895	0.9885	0.9874	0.9863	0.9850	0.9837
19	0.9965	0.9962	0.9957	0.9953	0.9948	0.9942	0.9936	0.9930	0.9923	0.9915
20	0.9984	0.9982	0.9980	0.9978	0.9975	0.9972	0.9969	0.9966	0.9962	0.9958
21	0.9993	0.9992	0.9991	0.9990	0.9989	0.9987	0.9986	0.9984	0.9982	0.9980
22	0.9997	0.9997	0.9996	0.9996	0.9995	0.9994	0.9994	0.9993	0.9992	0.9991
23	0.9999	0.9999	0.9998	0.9998	0.9998	0.9998	0.9997	0.9997	0.9996	0.9996
24	1.0000	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9998	0.9998
25	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9999
26	1.0000	1.0000	1.0000



Critical values for the product moment correlation coefficient, r

n	1-Tail Test				2-Tail Test	1-Tail Test			
	5%	2½%	1%	½%		5%	2½%	1%	½%
	10%	5%	2%	1%		10%	5%	2%	1%
1	-	-	-	-	31	0.3009	0.3550	0.4158	0.4556
2	-	-	-	-	32	0.2960	0.3494	0.4093	0.4487
3	0.9877	0.9969	0.9995	0.9999	33	0.2913	0.3440	0.4032	0.4421
4	0.9000	0.9500	0.9800	0.9900	34	0.2869	0.3388	0.3972	0.4357
5	0.8054	0.8783	0.9343	0.9587	35	0.2826	0.3388	0.3916	0.4926
6	0.7293	0.8114	0.8822	0.9172	36	0.2785	0.3291	0.3862	0.4238
7	0.6694	0.7545	0.8329	0.8745	37	0.2746	0.3246	0.3810	0.4182
8	0.6215	0.7067	0.7887	0.8343	38	0.2709	0.3202	0.3760	0.4128
9	0.5822	0.6664	0.7498	0.7977	39	0.2673	0.3160	0.3712	0.4076
10	0.5494	0.6319	0.7155	0.7646	40	0.2638	0.3120	0.3665	0.4026
11	0.5214	0.6021	0.6851	0.7348	41	0.2605	0.3081	0.3621	0.3978
12	0.4973	0.5760	0.6581	0.7079	42	0.2573	0.3044	0.3578	0.3932
13	0.4762	0.5529	0.6339	0.6835	43	0.2542	0.3008	0.3536	0.3887
14	0.4575	0.5324	0.6120	0.6614	44	0.2512	0.2973	0.3496	0.3843
15	0.4409	0.5140	0.5923	0.6411	45	0.2483	0.2940	0.3457	0.3801
16	0.4259	0.4973	0.5742	0.6226	46	0.2455	0.2907	0.3420	0.3761
17	0.4124	0.4821	0.5577	0.6055	47	0.2429	0.2876	0.3384	0.3721
18	0.4000	0.4683	0.5425	0.5897	48	0.2403	0.2845	0.3348	0.3683
19	0.3887	0.4555	0.5285	0.5751	49	0.2377	0.2816	0.3314	0.3646
20	0.3783	0.4438	0.5155	0.5614	50	0.2353	0.2787	0.3281	0.3610
21	0.3687	0.4329	0.5034	0.5487	51	0.2329	0.2759	0.3249	0.3575
22	0.3598	0.4227	0.4921	0.5368	52	0.2306	0.2732	0.3218	0.3542
23	0.3515	0.4132	0.4815	0.5256	53	0.2284	0.2706	0.3188	0.3509
24	0.3438	0.4044	0.4716	0.5151	54	0.2262	0.2681	0.3158	0.3477
25	0.3365	0.3961	0.4622	0.5052	55	0.2241	0.2656	0.3129	0.3445
26	0.3297	0.3882	0.4534	0.4958	56	0.2221	0.2632	0.3102	0.3415
27	0.3233	0.3809	0.4451	0.4869	57	0.2201	0.2609	0.3074	0.3385
28	0.3172	0.3739	0.4372	0.4785	58	0.2181	0.2586	0.3048	0.3357
29	0.3115	0.3673	0.4297	0.4705	59	0.2162	0.2564	0.3022	0.3328
30	0.3061	0.3610	0.4226	0.4629	60	0.2144	0.2542	0.2997	0.3301

Critical values for Spearman's rank correlation coefficient, r_s


n	1-Tail Test				2-Tail Test	1-Tail Test			
	5%	2½%	1%	½%		5%	2½%	1%	½%
	10%	5%	2%	1%		10%	5%	2%	1%
1	-	-	-	-	31	0.3012	0.3560	0.4185	0.4593
2	-	-	-	-	32	0.2962	0.3504	0.4117	0.4523
3	-	-	-	-	33	0.2914	0.3449	0.4054	0.4455
4	1.0000	-	-	-	34	0.2871	0.3396	0.3995	0.4390
5	0.9000	1.0000	1.0000	-	35	0.2829	0.3347	0.3936	0.4328
6	0.8286	0.8857	0.9429	1.0000	36	0.2788	0.3300	0.3882	0.4268
7	0.7143	0.7857	0.8929	0.9286	37	0.2748	0.3253	0.3829	0.4211
8	0.6429	0.7381	0.8333	0.8810	38	0.2710	0.3209	0.3778	0.4155
9	0.6000	0.7000	0.7833	0.8333	39	0.2674	0.3168	0.3729	0.4103
10	0.5636	0.6485	0.7455	0.7939	40	0.2640	0.3128	0.3681	0.4051
11	0.5364	0.6182	0.7091	0.7545	41	0.2606	0.3087	0.3636	0.4002
12	0.5035	0.5874	0.6783	0.7273	42	0.2574	0.3051	0.3594	0.3955
13	0.4835	0.5604	0.6484	0.7033	43	0.2543	0.3014	0.3550	0.3908
14	0.4637	0.5385	0.6264	0.6791	44	0.2513	0.2978	0.3511	0.3865
15	0.4464	0.5214	0.6036	0.6536	45	0.2484	0.2945	0.3470	0.3882
16	0.4294	0.5029	0.5824	0.6353	46	0.2456	0.2913	0.3433	0.3781
17	0.4142	0.4877	0.5662	0.6176	47	0.2429	0.2880	0.3396	0.3741
18	0.4014	0.4716	0.5501	0.5996	48	0.2403	0.2850	0.3361	0.3702
19	0.3912	0.4596	0.5351	0.5842	49	0.2378	0.2820	0.3326	0.3664
20	0.3805	0.4466	0.5218	0.5699	50	0.2353	0.2791	0.3293	0.3628
21	0.3701	0.4364	0.5091	0.5558	51	0.2329	0.2764	0.3260	0.3592
22	0.3608	0.4252	0.4975	0.5438	52	0.2307	0.2736	0.3228	0.3558
23	0.3528	0.4160	0.4862	0.5316	53	0.2284	0.2710	0.3198	0.3524
24	0.3443	0.4070	0.4757	0.5209	54	0.2262	0.2685	0.3168	0.3492
25	0.3369	0.3977	0.4662	0.5108	55	0.2242	0.2659	0.3139	0.3460
26	0.3306	0.3901	0.4571	0.5009	56	0.2221	0.2636	0.3111	0.3429
27	0.3242	0.3828	0.4487	0.4915	57	0.2201	0.2612	0.3083	0.3400
28	0.3180	0.3755	0.4401	0.4828	58	0.2181	0.2589	0.3057	0.3370
29	0.3118	0.3685	0.4325	0.4749	59	0.2162	0.2567	0.3030	0.3342
30	0.3063	0.3624	0.4251	0.4670	60	0.2144	0.2545	0.3005	0.3314

Percentage points of the χ^2 (chi-squared) distribution



$p\%$	99	97.5	95	90	10	5.0	2.5	1.0	0.5
$v = 1$.0001	.0010	.0039	.0158	2.706	3.841	5.024	6.635	7.879
2	.0201	.0506	0.103	0.211	4.605	5.991	7.378	9.210	10.60
3	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.34	12.84
4	0.297	0.484	0.711	1.064	7.779	9.488	11.14	13.28	14.86
5	0.554	0.831	1.145	1.610	9.236	11.07	12.83	15.09	16.75
6	0.872	1.237	1.635	2.204	10.64	12.59	14.45	16.81	18.55
7	1.239	1.690	2.167	2.833	12.02	14.07	16.01	18.48	20.28
8	1.646	2.180	2.733	3.490	13.36	15.51	17.53	20.09	21.95
9	2.088	2.700	3.325	4.168	14.68	16.92	19.02	21.67	23.59
10	2.558	3.247	3.940	4.865	15.99	18.31	20.48	23.21	25.19
11	3.053	3.816	4.575	5.578	17.28	19.68	21.92	24.72	26.76
12	3.571	4.404	5.226	6.304	18.55	21.03	23.34	26.22	28.30
13	4.107	5.009	5.892	7.042	19.81	22.36	24.74	27.69	29.82
14	4.660	5.629	6.571	7.790	21.06	23.68	26.12	29.14	31.32
15	5.229	6.262	7.261	8.547	22.31	25.00	27.49	30.58	32.80
16	5.812	6.908	7.962	9.312	23.54	26.30	28.85	32.00	34.27
17	6.408	7.564	8.672	10.09	24.77	27.59	30.19	33.41	35.72
18	7.015	8.231	9.390	10.86	25.99	28.87	31.53	34.81	37.16
19	7.633	8.907	10.12	11.65	27.20	30.14	32.85	36.19	38.58
20	8.260	9.591	10.85	12.44	28.41	31.41	34.17	37.57	40.00
21	8.897	10.28	11.59	13.24	29.62	32.67	35.48	38.93	41.40
22	9.542	10.98	12.34	14.04	30.81	33.92	36.78	40.29	42.80
23	10.20	11.69	13.09	14.85	32.01	35.17	38.08	41.64	44.18
24	10.86	12.40	13.85	15.66	33.20	36.42	39.36	42.98	45.56
25	11.52	13.12	14.61	16.47	34.38	37.65	40.65	44.31	46.93
26	12.20	13.84	15.38	17.29	35.56	38.89	41.92	45.64	48.29
27	12.88	14.57	16.15	18.11	36.74	40.11	43.19	46.96	49.64
28	13.56	15.31	16.93	18.94	37.92	41.34	44.46	48.28	50.99
29	14.26	16.05	17.71	19.77	39.09	42.56	45.72	49.59	52.34
30	14.95	16.79	18.49	20.60	40.26	43.77	46.98	50.89	53.67
35	18.51	20.57	22.47	24.80	46.06	49.80	53.20	57.34	60.27
40	22.16	24.43	26.51	29.05	51.81	55.76	59.34	63.69	66.77
50	29.71	32.36	34.76	37.69	63.17	67.50	71.42	76.15	79.49
100	70.06	74.22	77.93	82.36	118.5	124.3	129.6	135.8	140.2

Percentage points of the t -distribution



$p\%$	10	5	2	1
$v = 1$	6.314	12.71	31.82	63.66
2	2.920	4.303	6.965	9.925
3	2.353	3.182	4.541	5.841
4	2.132	2.776	3.747	4.604
5	2.015	2.571	3.365	4.032
6	1.943	2.447	3.143	3.707
7	1.895	2.365	2.998	3.499
8	1.860	2.306	2.896	3.355
9	1.833	2.262	2.821	3.250
10	1.812	2.228	2.764	3.169
11	1.796	2.201	2.718	3.106
12	1.782	2.179	2.681	3.055
13	1.771	2.160	2.650	3.012
14	1.761	2.145	2.624	2.977
15	1.753	2.131	2.602	2.947
20	1.725	2.086	2.528	2.845
30	1.697	2.042	2.457	2.750
50	1.676	2.009	2.403	2.678
100	1.660	1.984	2.364	2.626
∞	1.645	1.960	2.326	2.576

= Percentage points of the Normal distribution $N(0, 1)$

5% points of the F -distribution

2½% points of the F -distribution

$v_2 \backslash v_1$	1	2	3	4	5	6	7	8	10	12	24	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	241.9	243.9	249.0	254.3
2	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.5	19.5
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.79	8.74	8.64	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	5.96	5.91	5.77	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.74	4.68	4.53	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.06	4.00	3.84	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.64	3.57	3.41	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.35	3.28	3.12	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.14	3.07	2.90	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	2.98	2.91	2.74	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.85	2.79	2.61	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.75	2.69	2.51	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.67	2.60	2.42	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.60	2.53	2.35	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.54	2.48	2.29	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.49	2.42	2.24	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.45	2.38	2.19	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.41	2.34	2.15	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.38	2.31	2.11	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.35	2.28	2.08	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.32	2.25	2.05	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.30	2.23	2.03	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.27	2.20	2.00	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.25	2.18	1.98	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.24	2.16	1.96	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.22	2.15	1.95	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.20	2.13	1.93	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.19	2.12	1.91	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.18	2.10	1.90	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.16	2.09	1.89	1.62
32	4.15	3.29	2.90	2.67	2.51	2.40	2.31	2.24	2.14	2.07	1.86	1.59
34	4.13	3.28	2.88	2.65	2.49	2.38	2.29	2.23	2.12	2.05	1.84	1.57
36	4.11	3.26	2.87	2.63	2.48	2.36	2.28	2.21	2.11	2.03	1.82	1.55
38	4.10	3.24	2.85	2.62	2.46	2.35	2.26	2.19	2.09	2.02	1.81	1.53
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.08	2.00	1.79	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	1.99	1.92	1.70	1.39
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.91	1.83	1.61	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.83	1.75	1.52	1.00

$v_2 \backslash v_1$	1	2	3	4	5	6	7	8	10	12	24	∞
1	648	800	864	900	922	937	948	957	969	977	997	1018
2	38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4	39.4	39.5	39.5
3	17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.4	14.3	14.1	13.9
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.84	8.75	8.51	8.26
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.62	6.52	6.28	6.02
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.46	5.37	5.12	4.85
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.76	4.67	4.42	4.14
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.30	4.20	3.95	3.67
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	3.96	3.87	3.61	3.33
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.72	3.62	3.37	3.08
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.53	3.43	3.17	2.88
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.37	3.28	3.02	2.72
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.25	3.15	2.89	2.60
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.15	3.05	2.79	2.49
15	6.20	4.76	4.15	3.80	3.58	3.41	3.29	3.20	3.06	2.96	2.70	2.40
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	2.99	2.89	2.63	2.32
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.92	2.82	2.56	2.25
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.87	2.77	2.50	2.19
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.82	2.72	2.45	2.13
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.77	2.68	2.41	2.09
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.73	2.64	2.37	2.04
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.70	2.60	2.33	2.00
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.67	2.57	2.30	1.97
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.64	2.54	2.27	1.94
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.61	2.51	2.24	1.91
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.59	2.49	2.22	1.88
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.57	2.47	2.19	1.85
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.55	2.45	2.17	1.83
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.53	2.43	2.15	1.81
30	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.51	2.41	2.14	1.79
32	5.53	4.15	3.56	3.22	3.00	2.84	2.72	2.62	2.48	2.38	2.10	1.75
34	5.50	4.12	3.53	3.19	2.97	2.81	2.69	2.59	2.45	2.35	2.08	1.72
36	5.47	4.09	3.51	3.17	2.94	2.79	2.66	2.57	2.43	2.33	2.05	1.69
38	5.45	4.07	3.48	3.15	2.92	2.76	2.64	2.55	2.41	2.31	2.03	1.66
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.39	2.29	2.01	1.64
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.27	2.17	1.88	1.48
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.16	2.05	1.76	1.31
∞	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.05	1.94	1.64	1.00

1% points of the *F*-distribution

0.1% points of the *F*-distribution

$v_2 \backslash v_1$	1	2	3	4	5	6	7	8	10	12	24	∞
1	4052	5000	5403	5625	5764	5859	5928	5981	6056	6106	6235	6366
2	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4	99.4	99.5	99.5
3	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.2	27.1	26.6	26.1
4	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.5	14.4	13.9	13.5
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.05	9.89	9.47	9.02
6	13.74	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.87	7.72	7.31	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.62	6.47	6.07	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.81	5.67	5.28	4.86
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.26	5.11	4.73	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.85	4.71	4.33	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.54	4.40	4.02	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.30	4.16	3.78	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.10	3.96	3.59	3.17
14	8.86	6.51	5.56	5.04	4.70	4.46	4.28	4.14	3.94	3.80	3.43	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.80	3.67	3.29	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.69	3.55	3.18	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.59	3.46	3.08	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.51	3.37	3.00	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.43	3.30	2.92	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.37	3.23	2.86	2.42
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.31	3.17	2.80	2.36
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.26	3.12	2.75	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.21	3.07	2.70	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.17	3.03	2.66	2.21
25	7.77	5.57	4.68	4.18	3.86	3.63	3.46	3.32	3.13	2.99	2.62	2.17
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.09	2.96	2.58	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.06	2.93	2.55	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.03	2.90	2.52	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.00	2.87	2.49	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	2.98	2.84	2.47	2.01
32	7.50	5.34	4.46	3.97	3.65	3.43	3.26	3.13	2.93	2.80	2.42	1.96
34	7.45	5.29	4.42	3.93	3.61	3.39	3.22	3.09	2.90	2.76	2.38	1.91
36	7.40	5.25	4.38	3.89	3.58	3.35	3.18	3.05	2.86	2.72	2.35	1.87
38	7.35	5.21	4.34	3.86	3.54	3.32	3.15	3.02	2.83	2.69	2.32	1.84
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.80	2.66	2.29	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.63	2.50	2.12	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.47	2.34	1.95	1.38
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.32	2.18	1.79	1.00

$v_2 \backslash v_1$	1	2	3	4	5	6	7	8	10	12	24	∞
1	4053	5000	5404	5625	5764	5859	5929	5981	6056	6107	6235	6366
2	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	999.4	999.5	999.5
3	167.0	148.5	141.1	137.1	134.6	132.8	131.5	130.6	129.2	128.3	125.9	123.5
4	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.05	47.41	45.77	44.05
5	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	26.92	26.42	25.14	23.79
6	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.41	17.99	16.90	15.75
7	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.08	13.71	12.73	11.70
8	25.42	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.54	11.19	10.30	9.34
9	22.86	16.39	13.90	12.56	11.71	11.13	10.69	10.37	9.87	9.57	8.72	7.81
10	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.74	8.44	7.64	6.76
11	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	7.92	7.63	6.85	6.00
12	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.29	7.00	6.25	5.42
13	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.80	6.52	5.78	4.97
14	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.40	6.13	5.41	4.60
15	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.08	5.81	5.10	4.31
16	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.81	5.55	4.85	4.06
17	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.58	5.32	4.63	3.85
18	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.39	5.13	4.45	3.67
19	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.22	4.97	4.29	3.51
20	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.08	4.82	4.15	3.38
21	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	4.95	4.70	4.03	3.26
22	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.83	4.58	3.92	3.15
23	14.19	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.73	4.48	3.82	3.05
24	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.64	4.39	3.74	2.97
25	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.56	4.31	3.66	2.89
26	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.48	4.24	3.59	2.82
27	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.41	4.17	3.52	2.75
28	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.35	4.11	3.46	2.69
29	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.29	4.05	3.41	2.64
30	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.24	4.00	3.36	2.59
32	13.12	8.64	6.94	6.01	5.43	5.02	4.72	4.48	4.14	3.91	3.27	2.50
34	12.97	8.52	6.83	5.92	5.34	4.93	4.63	4.40	4.06	3.83	3.19	2.42
36	12.83	8.42	6.74	5.84	5.26	4.86	4.56	4.33	3.99	3.76	3.12	2.35
38	12.71	8.33	6.66	5.76	5.19	4.79	4.49	4.26	3.93	3.70	3.06	2.29
40	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	3.87	3.64	3.01	2.23
60	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.54	3.32	2.69	1.89
120	11.38	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.24	3.02	2.40	1.54
∞	10.83	6.91	5.42	4.62	4.10	3.74	3.47	3.27	2.96	2.74	2.13	1.00

Critical Values for the Mann-Whitney Test

		1 – tail		2 – tail	
		5%	2 ^{1/2} %	1%	1/2%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
2	2	–	–	–	–
2	3	–	–	–	–
2	4	–	–	–	–
2	5	0	–	–	–
2	6	0	–	–	–
2	7	0	–	–	–
2	8	1	0	–	–
2	9	1	0	–	–
2	10	1	0	–	–
2	11	1	0	–	–
2	12	2	1	–	–
2	13	2	1	0	–
2	14	3	1	0	–
2	15	3	1	0	–
2	16	3	1	0	–
2	17	3	2	0	–
2	18	4	2	0	–
2	19	4	2	1	0
2	20	4	2	1	0
2	21	5	3	1	0
2	22	5	3	1	0
2	23	5	3	1	0
2	24	6	3	1	0
2	25	6	3	1	0
3	3	0	–	–	–
3	4	0	–	–	–
3	5	1	0	–	–
3	6	2	1	–	–
3	7	2	1	0	–
3	8	3	2	0	–
3	9	4	2	1	0
3	10	4	3	1	0
3	11	5	3	1	0
3	12	5	4	2	1
3	13	6	4	2	1

		1 – tail		2 – tail	
		5%	2 ^{1/2} %	1%	1/2%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
3	14	7	5	2	1
3	15	7	5	3	2
3	16	8	6	3	2
3	17	9	6	4	2
3	18	9	7	4	2
3	19	10	7	4	3
3	20	11	8	5	3
3	21	11	8	5	3
3	22	12	9	6	4
3	23	13	9	6	4
3	24	13	10	6	4
3	25	14	10	7	5
4	4	1	0	–	–
4	5	2	1	0	–
4	6	3	2	1	0
4	7	4	3	1	0
4	8	5	4	2	1
4	9	6	4	3	1
4	10	7	5	3	2
4	11	8	6	4	2
4	12	9	7	5	3
4	13	10	8	5	3
4	14	11	9	6	4
4	15	12	10	7	5
4	16	14	11	7	5
4	17	15	11	8	6
4	18	16	12	9	6
4	19	17	13	9	7
4	20	18	14	10	8
4	21	19	15	11	8
4	22	20	16	11	9
4	23	21	17	12	9
4	24	22	17	13	10
4	25	23	18	13	10

The critical values in these tables are for the Mann-Whitney test statistic, *T*. Critical values for the Wilcoxon test statistic, *W*, may be derived by adding $\frac{1}{2}m(m + 1)$ (where *m* is the size of the sample from which the rank sum has been obtained). These values are tabulated on pages 28 and 29.

		1 – tail		2 – tail	
		5%	2 ^{1/2} %	1%	1/2%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
5	5	4	2	1	0
5	6	5	3	2	1
5	7	6	5	3	1
5	8	8	6	4	2
5	9	9	7	5	3
5	10	11	8	6	4
5	11	12	9	7	5
5	12	13	11	8	6
5	13	15	12	9	7
5	14	16	13	10	7
5	15	18	14	11	8
5	16	19	15	12	9
5	17	20	17	13	10
5	18	22	18	14	11
5	19	23	19	15	12
5	20	25	20	16	13
5	21	26	22	17	14
5	22	28	23	18	14
5	23	29	24	19	15
5	24	30	25	20	16
5	25	32	27	21	17
6	6	7	5	3	2
6	7	8	6	4	3
6	8	10	8	6	4
6	9	12	10	7	5

		1 – tail		2 – tail	
		5%	2 ^{1/2} %	1%	1/2%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
6	10	14	11	8	6
6	11	16	13	9	7
6	12	17	14	11	9
6	13	19	16	12	10
6	14	21	17	13	11
6	15	23	19	15	12
6	16	25	21	16	13
6	17	26	22	18	15
6	18	28	24	19	16
6	19	30	25	20	17
6	20	32	27	22	18
6	21	34	29	23	19
6	22	36	30	24	21
6	23	37	32	26	22
6	24	39	33	27	23
6	25	41	35	29	24
7	7	11	8	6	4
7	8	13	10	7	6
7	9	15	12	9	7
7	10	17	14	11	9
7	11	19	16	12	10
7	12	21	18	14	12
7	13	24	20	16	13
7	14	26	22	17	15
7	15	28	24	19	16
7	16	30	26	21	18
7	17	33	28	23	19
7	18	35	30	24	21
7	19	37	32	26	22
7	20	39	34	28	24
7	21	41	36	30	25
7	22	44	38	31	27
7	23	46	40	33	29
7	24	48	42	35	30
7	25	50	44	36	32

		1 – tail		2 – tail	
		5%	2 ^{1/2} %	1%	1/2%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
8	8	15	13	9	7
8	9	18	15	11	9
8	10	20	17	13	11
8	11	23	19	15	13
8	12	26	22	17	15
8	13	28	24	20	17
8	14	31	26	22	18
8	15	33	29	24	20
8	16	36	31	26	22
8	17	39	34	28	24
8	18	41	36	30	26
8	19	44	38	32	28
8	20	47	41	34	30
8	21	49	43	36	32
8	22	52	45	38	34
8	23	54	48	40	35
8	24	57	50	42	37
8	25	60	53	45	39
9	9	21	17	14	11
9	10	24	20	16	13
9	11	27	23	18	16
9	12	30	26	21	18
9	13	33	28	23	20
9	14	36	31	26	22
9	15	39	34	28	24
9	16	42	37	31	27
9	17	45	39	33	29
9	18	48	42	35	31
9	19	51	45	38	33
9	20	54	48	40	36
9	21	57	50	43	38
9	22	60	53	45	40
9	23	63	56	48	43
9	24	66	59	50	45
9	25	69	62	53	47

CRITICAL VALUES FOR THE MANN-WHITNEY TEST

1 - tail		5%	2 ^{1/2} %	1%	1/2%
2 - tail		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
10	10	27	23	19	16
10	11	31	26	22	18
10	12	34	29	24	21
10	13	37	33	27	24
10	14	41	36	30	26
10	15	44	39	33	29
10	16	48	42	36	31
10	17	51	45	38	34
10	18	55	48	41	37
10	19	58	52	44	39
10	20	62	55	47	42
10	21	65	58	50	44
10	22	68	61	53	47
10	23	72	64	55	50
10	24	75	67	58	52
10	25	79	71	61	55
11	11	34	30	25	21
11	12	38	33	28	24
11	13	42	37	31	27
11	14	46	40	34	30
11	15	50	44	37	33
11	16	54	47	41	36
11	17	57	51	44	39
11	18	61	55	47	42
11	19	65	58	50	45
11	20	69	62	53	48
11	21	73	65	57	51
11	22	77	69	60	54
11	23	81	73	63	57
11	24	85	76	66	60
11	25	89	80	70	63

1 - tail		5%	2 ^{1/2} %	1%	1/2%
2 - tail		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
12	12	42	37	31	27
12	13	47	41	35	31
12	14	51	45	38	34
12	15	55	49	42	37
12	16	60	53	46	41
12	17	64	57	49	44
12	18	68	61	53	47
12	19	72	65	56	51
12	20	77	69	60	54
12	21	81	73	64	58
12	22	85	77	67	61
12	23	90	81	71	64
12	24	94	85	75	68
12	25	98	89	78	71
13	13	51	45	39	34
13	14	56	50	43	38
13	15	61	54	47	42
13	16	65	59	51	45
13	17	70	63	55	49
13	18	75	67	59	53
13	19	80	72	63	57
13	20	84	76	67	60
13	21	89	80	71	64
13	22	94	85	75	68
13	23	98	89	79	72
13	24	103	94	83	75
13	25	108	98	87	79

1 - tail		5%	2 ^{1/2} %	1%	1/2%
2 - tail		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
14	14	61	55	47	42
14	15	66	59	51	46
14	16	71	64	56	50
14	17	77	69	60	54
14	18	82	74	65	58
14	19	87	78	69	63
14	20	92	83	73	67
14	21	97	88	78	71
14	22	102	93	82	75
14	23	107	98	87	79
14	24	113	102	91	83
14	25	118	107	95	87
15	15	72	64	56	51
15	16	77	70	61	55
15	17	83	75	66	60
15	18	88	80	70	64
15	19	94	85	75	69
15	20	100	90	80	73
15	21	105	96	85	78
15	22	111	101	90	82
15	23	116	106	94	87
15	24	122	111	99	91
15	25	128	117	104	96
16	16	83	75	66	60
16	17	89	81	71	65
16	18	95	86	76	70

1 - tail		5%	2 ^{1/2} %	1%	1/2%
2 - tail		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
16	19	101	92	82	74
16	20	107	98	87	79
16	21	113	103	92	84
16	22	119	109	97	89
16	23	125	115	102	94
16	24	131	120	108	99
16	25	137	126	113	104
17	17	96	87	77	70
17	18	102	93	82	75
17	19	109	99	88	81
17	20	115	105	93	86
17	21	121	111	99	91
17	22	128	117	105	96
17	23	134	123	110	102
17	24	141	129	116	107
17	25	147	135	122	112
18	18	109	99	88	81
18	19	116	106	94	87
18	20	123	112	100	92
18	21	130	119	106	98
18	22	136	125	112	104
18	23	143	132	118	109
18	24	150	138	124	115
18	25	157	145	130	121

1 - tail		5%	2 ^{1/2} %	1%	1/2%
2 - tail		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
19	19	123	113	101	93
19	20	130	119	107	99
19	21	138	126	113	105
19	22	145	133	120	111
19	23	152	140	126	117
19	24	160	147	133	123
19	25	167	154	139	129
20	20	138	127	114	105
20	21	146	134	121	112
20	22	154	141	127	118
20	23	161	149	134	125
20	24	169	156	141	131
20	25	177	163	148	138
21	21	154	142	128	118
21	22	162	150	135	125
21	23	170	157	142	132
21	24	179	165	150	139
21	25	187	173	157	146
22	22	171	158	143	133
22	23	179	166	150	140
22	24	188	174	158	147
22	25	197	182	166	155
23	23	189	175	158	148
23	24	198	183	167	155
23	25	207	192	175	163
24	24	207	192	175	164
24	25	217	201	184	172
25	25	227	211	192	180

For larger values of m, n it is usually adequate to use a Normal approximation with continuity correction,

with mean $\frac{1}{2}mn$ and variance $\frac{1}{12}mn(m+n+1)$.

Critical Values for the Wilcoxon Rank Sum 2-Sample Test

		5%	2½%	1%	½%
1 – tail	2 – tail	10%	5%	2%	1%
<i>m</i>	<i>n</i>				
2	2	–	–	–	–
2	3	–	–	–	–
2	4	–	–	–	–
2	5	3	–	–	–
2	6	3	–	–	–
2	7	3	–	–	–
2	8	4	3	–	–
2	9	4	3	–	–
2	10	4	3	–	–
2	11	4	3	–	–
2	12	5	4	–	–
2	13	5	4	3	–
2	14	6	4	3	–
2	15	6	4	3	–
2	16	6	4	3	–
2	17	6	5	3	–
2	18	7	5	3	–
2	19	7	5	4	3
2	20	7	5	4	3
2	21	8	6	4	3
2	22	8	6	4	3
2	23	8	6	4	3
2	24	9	6	4	3
2	25	9	6	4	3
3	3	6	–	–	–
3	4	6	–	–	–
3	5	7	6	–	–
3	6	8	7	–	–
3	7	8	7	6	–
3	8	9	8	6	–
3	9	10	8	7	6
3	10	10	9	7	6
3	11	11	9	7	6
3	12	11	10	8	7
3	13	12	10	8	7

		5%	2½%	1%	½%
1 – tail	2 – tail	10%	5%	2%	1%
<i>m</i>	<i>n</i>				
3	14	13	11	8	7
3	15	13	11	9	8
3	16	14	12	9	8
3	17	15	12	10	8
3	18	15	13	10	8
3	19	16	13	10	9
3	20	17	14	11	9
3	21	17	14	11	9
3	22	18	15	12	10
3	23	19	15	12	10
3	24	19	16	12	10
3	25	20	16	13	11
4	4	11	10	–	–
4	5	12	11	10	–
4	6	13	12	11	10
4	7	14	13	11	10
4	8	15	14	12	11
4	9	16	14	13	11
4	10	17	15	13	12
4	11	18	16	14	12
4	12	19	17	15	13
4	13	20	18	15	13
4	14	21	19	16	14
4	15	22	20	17	15
4	16	24	21	17	15
4	17	25	21	18	16
4	18	26	22	19	16
4	19	27	23	19	17
4	20	28	24	20	18
4	21	29	25	21	18
4	22	30	26	21	19
4	23	31	27	22	19
4	24	32	27	23	20
4	25	33	28	23	20

The critical values in these tables are for the Wilcoxon Rank Sum 2-sample test statistic, *W*. Critical values for the Mann-Whitney test statistic, *T*, may be derived by subtracting $\frac{1}{2}m(m+1)$ (where *m* is the size of the sample from which the rank sum has been obtained).

		5%	2½%	1%	½%
1 – tail	2 – tail	10%	5%	2%	1%
<i>m</i>	<i>n</i>				
5	5	19	17	16	15
5	6	20	18	17	16
5	7	21	20	18	16
5	8	23	21	19	17
5	9	24	22	20	18
5	10	26	23	21	19
5	11	27	24	22	20
5	12	28	26	23	21
5	13	30	27	24	22
5	14	31	28	25	22
5	15	33	29	26	23
5	16	34	30	27	24
5	17	35	32	28	25
5	18	37	33	29	26
5	19	38	34	30	27
5	20	40	35	31	28
5	21	41	37	32	29
5	22	43	38	33	29
5	23	44	39	34	30
5	24	45	40	35	31
5	25	47	42	36	32
6	6	28	26	24	23
6	7	29	27	25	24
6	8	31	29	27	25
6	9	33	31	28	26

		5%	2½%	1%	½%
1 – tail	2 – tail	10%	5%	2%	1%
<i>m</i>	<i>n</i>				
6	10	35	32	29	27
6	11	37	34	30	28
6	12	38	35	32	30
6	13	40	37	33	31
6	14	42	38	34	32
6	15	44	40	36	33
6	16	46	42	37	34
6	17	47	43	39	36
6	18	49	45	40	37
6	19	51	46	41	38
6	20	53	48	43	39
6	21	55	50	44	40
6	22	57	51	45	42
6	23	58	53	47	43
6	24	60	54	48	44
6	25	62	56	50	45
7	7	39	36	34	32
7	8	41	38	35	34
7	9	43	40	37	35
7	10	45	42	39	37
7	11	47	44	40	38
7	12	49	46	42	40
7	13	52	48	44	41
7	14	54	50	45	43
7	15	56	52	47	44
7	16	58	54	49	46
7	17	61	56	51	47
7	18	63	58	52	49
7	19	65	60	54	50
7	20	67	62	56	52
7	21	69	64	58	53
7	22	72	66	59	55
7	23	74	68	61	57
7	24	76	70	63	58
7	25	78	72	64	60

		5%	2½%	1%	½%
1 – tail	2 – tail	10%	5%	2%	1%
<i>m</i>	<i>n</i>				
8	8	51	49	45	43
8	9	54	51	47	45
8	10	56	53	49	47
8	11	59	55	51	49
8	12	62	58	53	51
8	13	64	60	56	53
8	14	67	62	58	54
8	15	69	65	60	56
8	16	72	67	62	58
8	17	75	70	64	60
8	18	77	72	66	62
8	19	80	74	68	64
8	20	83	77	70	66
8	21	85	79	72	68
8	22	88	81	74	70
8	23	90	84	76	71
8	24	93	86	78	73
8	25	96	89	81	75
9	9	66	62	59	56
9	10	69	65	61	58
9	11	72	68	63	61
9	12	75	71	66	63
9	13	78	73	68	65
9	14	81	76	71	67
9	15	84	79	73	69
9	16	87	82	76	72
9	17	90	84	78	74
9	18	93	87	80	76
9	19	96	90	83	78
9	20	99	93	85	81
9	21	102	95	88	83
9	22	105	98	90	85
9	23	108	101	93	88
9	24	111	104	95	90
9	25	114	107	98	92

CRITICAL VALUES FOR THE WILCOXON RANK SUM 2-SAMPLE TEST

		1 – tail		2 – tail	
		5%	2½%	1%	½%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
10	10	82	78	74	71
10	11	86	81	77	73
10	12	89	84	79	76
10	13	92	88	82	79
10	14	96	91	85	81
10	15	99	94	88	84
10	16	103	97	91	86
10	17	106	100	93	89
10	18	110	103	96	92
10	19	113	107	99	94
10	20	117	110	102	97
10	21	120	113	105	99
10	22	123	116	108	102
10	23	127	119	110	105
10	24	130	122	113	107
10	25	134	126	116	110
11	11	100	96	91	87
11	12	104	99	94	90
11	13	108	103	97	93
11	14	112	106	100	96
11	15	116	110	103	99
11	16	120	113	107	102
11	17	123	117	110	105
11	18	127	121	113	108
11	19	131	124	116	111
11	20	135	128	119	114
11	21	139	131	123	117
11	22	143	135	126	120
11	23	147	139	129	123
11	24	151	142	132	126
11	25	155	146	136	129

		1 – tail		2 – tail	
		5%	2½%	1%	½%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
12	12	120	115	109	105
12	13	125	119	113	109
12	14	129	123	116	112
12	15	133	127	120	115
12	16	138	131	124	119
12	17	142	135	127	122
12	18	146	139	131	125
12	19	150	143	134	129
12	20	155	147	138	132
12	21	159	151	142	136
12	22	163	155	145	139
12	23	168	159	149	142
12	24	172	163	153	146
12	25	176	167	156	149
13	13	142	136	130	125
13	14	147	141	134	129
13	15	152	145	138	133
13	16	156	150	142	136
13	17	161	154	146	140
13	18	166	158	150	144
13	19	171	163	154	148
13	20	175	167	158	151
13	21	180	171	162	155
13	22	185	176	166	159
13	23	189	180	170	163
13	24	194	185	174	166
13	25	199	189	178	170

		1 – tail		2 – tail	
		5%	2½%	1%	½%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
14	14	166	160	152	147
14	15	171	164	156	151
14	16	176	169	161	155
14	17	182	174	165	159
14	18	187	179	170	163
14	19	192	183	174	168
14	20	197	188	178	172
14	21	202	193	183	176
14	22	207	198	187	180
14	23	212	203	192	184
14	24	218	207	196	188
14	25	223	212	200	192
15	15	192	184	176	171
15	16	197	190	181	175
15	17	203	195	186	180
15	18	208	200	190	184
15	19	214	205	195	189
15	20	220	210	200	193
15	21	225	216	205	198
15	22	231	221	210	202
15	23	236	226	214	207
15	24	242	231	219	211
15	25	248	237	224	216
16	16	219	211	202	196
16	17	225	217	207	201
16	18	231	222	212	206

		1 – tail		2 – tail	
		5%	2½%	1%	½%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
16	19	237	228	218	210
16	20	243	234	223	215
16	21	249	239	228	220
16	22	255	245	233	225
16	23	261	251	238	230
16	24	267	256	244	235
16	25	273	262	249	240
17	17	249	240	230	223
17	18	255	246	235	228
17	19	262	252	241	234
17	20	268	258	246	239
17	21	274	264	252	244
17	22	281	270	258	249
17	23	287	276	263	255
17	24	294	282	269	260
17	25	300	288	275	265
18	18	280	270	259	252
18	19	287	277	265	258
18	20	294	283	271	263
18	21	301	290	277	269
18	22	307	296	283	275
18	23	314	303	289	280
18	24	321	309	295	286
18	25	328	316	301	292

		1 – tail		2 – tail	
		5%	2½%	1%	½%
		10%	5%	2%	1%
<i>m</i>	<i>n</i>				
19	19	313	303	291	283
19	20	320	309	297	289
19	21	328	316	303	295
19	22	335	323	310	301
19	23	342	330	316	307
19	24	350	337	323	313
19	25	357	344	329	319
20	20	348	337	324	315
20	21	356	344	331	322
20	22	364	351	337	328
20	23	371	359	344	335
20	24	379	366	351	341
20	25	387	373	358	348
21	21	385	373	359	349
21	22	393	381	366	356
21	23	401	388	373	363
21	24	410	396	381	370
21	25	418	404	388	377
22	22	424	411	396	386
22	23	432	419	403	393
22	24	441	427	411	400
22	25	450	435	419	408
23	23	465	451	434	424
23	24	474	459	443	431
23	25	483	468	451	439
24	24	507	492	475	464
24	25	517	501	484	472
25	25	552	536	517	505

For larger values of *m*, *n* it is usually adequate to use a Normal approximation, with continuity correction, with mean $\frac{1}{2}mn + \frac{1}{2}m(m + 1)$ and variance $\frac{1}{12}mn(m + n + 1)$

Critical values for the Wilcoxon Single Sample and Paired Sample tests

1 – tail 2 – tail	5% 10%	2½% 5%	1% 2%	½% 1%	1 – tail 2 – tail	5% 10%	2½% 5%	1% 2%	½% 1%
<i>n</i>					<i>n</i>				
2	–	–	–	–	26	110	98	84	75
3	–	–	–	–	27	119	107	92	83
4	–	–	–	–	28	130	116	101	91
5	0	–	–	–	29	140	126	110	100
					30	151	137	120	109
6	2	0	–	–	31	163	147	130	118
7	3	2	0	–	32	175	159	140	128
8	5	3	1	0	33	187	170	151	138
9	8	5	3	1	34	200	182	162	148
10	10	8	5	3	35	213	195	173	159
11	13	10	7	5	36	227	208	185	171
12	17	13	9	7	37	241	221	198	182
13	21	17	12	9	38	256	235	211	194
14	25	21	15	12	39	271	249	224	207
15	30	25	19	15	40	286	264	238	220
16	35	29	23	19	41	302	279	252	233
17	41	34	27	23	42	319	294	266	247
18	47	40	32	27	43	336	310	281	261
19	53	46	37	32	44	353	327	296	276
20	60	52	43	37	45	371	343	312	291
21	67	58	49	42	46	389	361	328	307
22	75	65	55	48	47	407	378	345	322
23	83	73	62	54	48	426	396	362	339
24	91	81	69	61	49	446	415	379	355
25	100	89	76	68	50	466	434	397	373

For larger values of *n*, the Normal approximation with mean $\frac{n(n + 1)}{4}$,

variance $\frac{n(n + 1)(2n + 1)}{24}$ should be used for $T = \min [P, Q]$.

Action and Warning lines for Shewhart Chart for Ranges

Group Size <i>n</i>	Action Lines		Warning Lines	
	D ₁	D ₂	D ₃	D ₄
2	0.00	4.12	0.04	2.81
3	0.04	2.99	0.18	2.18
4	0.10	2.58	0.29	1.94
5	0.16	2.36	0.37	1.80
6	0.21	2.22	0.42	1.72
7	0.26	2.12	0.46	1.66
8	0.29	2.05	0.50	1.62
9	0.33	1.99	0.52	1.58
10	0.35	1.94	0.54	1.55

The action and warning lines are obtained by multiplying the values in the table by the mean range of the values obtained from the process.

Random Numbers

68236	35335	71329	96803	24413
62385	36545	59305	59948	17232
64058	80195	30914	16664	50818
64822	68554	90952	64984	92295
17716	22164	05161	04412	59002
03928	22379	92325	79920	99070
11021	08533	83855	37723	77339
01830	68554	86787	90447	54796
36782	73208	93548	77405	58355
58158	45059	83980	40176	40737
91239	10532	27993	11516	61327
27073	98804	60544	12133	01422
81501	00633	62681	84319	03374
64374	26598	54466	94768	19144
29896	26739	30871	29795	13472
38996	72151	65746	16513	62796
73936	81751	00149	99126	23117
18795	93118	84105	18307	49807
76816	99822	92314	45035	43490
12091	60413	90467	42457	50490
41538	19059	69055	94355	84262
12909	04950	14986	08205	53582
49185	94608	87317	37725	66450
37771	48526	14939	32848	77677
22532	13814	69092	78342	37774
60132	24386	10989	54346	41531
23784	56693	45902	33406	53867
03081	20189	77226	89923	67301
51273	64049	19919	45518	43243
03281	40214	60679	68712	71636

Estimation of standard deviation from range

n	a_n	n	a_n	n	a_n	n	a_n
2	0.8862	5	0.4299	8	0.3512	11	0.3152
3	0.5908	6	0.3946	9	0.3367	12	0.3069
4	0.4857	7	0.3698	10	0.3249	13	0.2998

Random permutations (size 4)

3 1 2 4	2 4 3 1	4 3 2 1
2 3 1 4	4 3 1 2	3 1 4 2
4 2 3 1	3 1 2 4	1 4 3 2
1 3 2 4	1 4 2 3	4 3 2 1
2 4 3 1	1 2 4 3	1 3 2 4
4 3 1 2	2 4 3 1	3 4 1 2
2 1 4 3	4 1 2 3	3 4 1 2
4 3 1 2	3 1 2 4	3 2 1 4
2 3 4 1	3 4 2 1	1 4 2 3
3 2 1 4	3 4 2 1	3 4 1 2
1 4 3 2	4 3 2 1	2 1 4 3
1 4 2 3	2 3 1 4	1 4 2 3
2 3 1 4	3 1 4 2	4 2 3 1
4 1 3 2	2 4 1 3	4 2 3 1
2 1 4 3	1 3 4 2	3 2 4 1
2 3 1 4	1 3 4 2	2 3 1 4
2 3 4 1	2 4 3 1	3 2 1 4
3 1 4 2	3 1 2 4	4 1 2 3
4 3 2 1	4 2 1 3	4 2 3 1
2 3 4 1	4 1 2 3	2 3 4 1
1 4 2 3	2 4 3 1	4 1 3 2
2 4 3 1	4 1 2 3	1 3 4 2
1 2 4 3	1 2 3 4	4 3 2 1
2 3 4 1	1 3 4 2	2 4 3 1
4 3 1 2	4 3 2 1	1 4 3 2
1 4 2 3	3 2 1 4	2 1 4 3
3 4 1 2	1 4 3 2	1 4 2 3
2 4 1 3	4 2 3 1	3 4 2 1
1 4 3 2	4 3 2 1	2 3 1 4
1 3 2 4	4 2 1 3	4 2 1 3
1 4 3 2	3 2 1 4	4 1 2 3
2 4 1 3	3 4 1 2	4 3 1 2
3 4 1 2	4 3 1 2	3 4 2 1
4 2 1 3	2 3 4 1	4 3 1 2
3 2 4 1	4 3 2 1	2 3 4 1
3 2 4 1	4 3 1 2	3 2 1 4
1 2 3 4	2 4 1 3	1 3 4 2
4 3 1 2	3 4 1 2	4 1 3 2
1 2 4 3	1 4 3 2	2 1 4 3
4 1 2 3	3 1 2 4	4 3 1 2

RANDOM NUMBERS AND RANDOM PERMUTATIONS
ESTIMATION OF STANDARD DEVIATION FROM RANGE

Random permutations (size 5)

5 2 3 4 1 2 5 1 3 4 4 5 3 2 1 2 5 3 4 1 5 2 3 1 4	4 2 3 5 1 3 1 2 4 5 2 1 4 3 5 1 5 3 4 2 5 3 4 1 2	3 1 5 4 2 5 3 2 4 1 2 1 5 4 3 1 4 3 2 5 2 5 4 3 1
3 5 1 4 2 2 3 4 1 5 1 2 5 4 3 2 4 1 5 3 2 5 1 3 4	5 4 3 2 1 4 5 2 3 1 2 4 5 3 1 1 2 3 5 4 3 5 2 1 4	5 1 4 3 2 2 5 3 4 1 3 4 1 2 5 4 1 2 5 3 5 4 2 1 3
3 4 1 5 2 2 1 5 3 4 2 4 1 3 5 5 1 3 2 4 3 2 4 1 5	5 2 3 1 4 3 1 4 2 5 3 1 5 2 4 4 2 3 5 1 1 5 3 4 2	3 2 1 5 4 1 4 5 2 3 1 2 3 5 4 4 5 1 3 2 1 3 5 2 4
5 2 4 3 1 3 2 4 5 1 3 4 1 5 2 4 2 1 5 3 4 2 1 5 3	1 5 2 4 3 4 5 3 1 2 1 5 3 4 2 1 5 3 4 2 2 3 5 1 4	3 4 1 5 2 5 3 1 4 2 3 5 4 1 2 1 2 5 4 3 5 1 4 3 2
2 1 4 3 5 5 3 2 4 1 2 4 3 5 1 4 1 5 3 2 2 4 5 1 3	1 4 3 5 2 1 3 5 4 2 3 5 2 1 4 1 3 5 2 4 3 5 4 1 2	5 2 4 3 1 5 1 4 2 3 2 5 4 1 3 4 1 5 3 2 4 1 5 3 2
5 3 4 1 2 5 1 2 4 3 5 2 4 1 3 4 5 2 1 3 5 2 4 1 3	1 2 3 4 5 4 3 1 2 5 5 2 3 1 4 2 5 3 4 1 2 5 3 1 4	5 4 3 1 2 2 1 3 5 4 4 3 5 2 1 2 4 3 5 1 3 1 5 4 2
3 5 4 1 2 5 2 1 4 3 5 1 3 4 2 2 1 5 3 4 2 3 4 5 1	5 4 2 3 1 1 5 3 2 4 1 2 5 3 4 3 5 4 2 1 3 4 2 5 1	3 5 4 1 2 3 4 5 2 1 2 5 4 1 3 2 1 5 4 3 3 5 2 1 4
1 3 5 4 2 5 1 4 2 3 3 5 1 2 4 3 4 1 5 2 2 5 1 3 4	4 1 5 3 2 5 3 1 4 2 1 5 2 3 4 4 3 5 1 2 1 2 3 5 4	5 3 1 2 4 5 1 3 4 2 1 5 3 2 4 1 5 2 4 3 2 3 5 1 4

Random permutations (size 10)

5 8 1 6 7 9 2 10 3 4 7 2 4 8 6 1 3 10 5 9 10 1 2 4 9 3 7 5 6 8 5 2 6 7 1 3 10 9 4 8 5 1 8 4 9 6 3 10 7 2	8 2 5 7 9 10 1 4 6 3 3 5 8 6 1 9 2 10 7 4 9 1 3 10 7 4 6 5 8 2 6 3 10 9 7 4 5 1 2 8 8 4 10 3 9 5 7 6 1 2
3 2 7 6 10 8 5 1 4 9 10 6 5 9 7 4 3 1 2 8 8 4 7 9 10 6 3 1 2 5 5 9 2 4 3 7 1 6 8 10 10 8 7 4 5 9 3 6 2 1	6 9 2 5 8 3 10 4 7 1 9 6 1 4 2 5 10 7 3 8 9 1 6 8 2 3 10 5 7 4 4 6 10 8 1 9 7 5 3 2 5 6 2 7 1 4 8 9 3 10
6 9 5 7 2 10 8 3 4 1 10 8 2 6 3 7 4 9 5 1 6 3 4 8 5 10 2 9 7 1 9 4 7 10 6 2 1 5 8 3 9 3 7 8 2 5 4 6 1 10	10 6 8 2 9 5 4 1 7 3 7 3 6 5 2 8 9 10 4 1 9 6 1 3 4 8 10 2 5 7 2 6 5 1 9 8 7 3 4 10 8 4 7 9 1 10 5 6 2 3
3 2 9 4 1 6 10 7 8 5 7 2 10 9 1 4 3 5 8 6 1 10 3 4 6 2 9 8 7 5 7 9 2 1 6 3 10 4 8 5 1 5 6 9 2 8 3 7 4 10	8 1 9 10 3 5 4 2 6 7 9 10 8 1 4 2 6 7 3 5 2 9 8 4 5 6 1 10 3 7 10 2 1 7 4 9 8 5 3 6 10 6 3 1 8 9 7 2 4 5
10 4 7 5 8 3 1 6 2 9 9 10 6 5 7 3 1 8 4 2 4 8 2 9 10 1 7 5 3 6 3 8 5 2 9 7 4 6 10 1 9 3 4 7 1 6 10 2 5 8	4 8 7 9 6 10 3 5 2 1 2 3 1 8 9 5 6 10 4 7 9 2 8 1 10 6 3 5 7 4 10 5 8 2 6 9 4 1 7 3 3 4 1 2 9 5 8 10 7 6
1 4 7 3 8 10 5 6 9 2 3 7 8 9 5 4 2 6 10 1 4 9 10 2 3 1 8 5 6 7 9 5 10 4 1 6 7 8 3 2 9 3 6 4 7 2 5 1 10 8	1 3 4 2 6 10 9 5 8 7 3 4 5 8 9 7 10 1 2 6 7 5 10 2 1 8 6 9 3 4 2 5 7 3 6 1 8 10 4 9 2 4 9 3 5 1 7 8 6 10
5 1 3 6 7 8 9 10 2 4 2 8 5 4 6 10 1 3 7 9 9 10 8 6 7 2 3 1 4 5 5 8 10 3 6 9 1 7 4 2 5 10 7 2 4 8 3 1 9 6	3 5 8 1 2 4 7 6 9 10 2 4 6 8 7 1 9 3 10 5 8 5 6 4 1 7 10 2 3 9 7 3 10 5 6 4 2 9 8 1 9 7 8 3 6 5 1 4 10 2
6 4 3 2 10 5 7 8 9 1 4 7 8 1 6 10 2 9 5 3 1 7 8 9 3 4 2 6 5 10 6 9 1 3 7 2 5 8 4 10 5 9 2 7 10 3 4 6 1 8	9 8 1 10 5 3 2 7 4 6 8 10 7 4 6 3 5 2 9 1 2 10 4 1 9 7 6 3 8 5 7 9 3 6 4 10 1 2 5 8 8 1 9 2 3 7 4 10 5 6