



Further Mathematics Support Programme




www.furthermaths.org.uk




Join the dots – Graph theory and gritting

Let Maths take you Further...


What is a graph?



- A graph is a set of *points* called *vertices* (or nodes) connected by *lines* called *edges* (or arcs).
- In a graph a line from point A to point B is considered to be the same thing as a line from point B to point A.




Graphs





Traversable graphs

Which of these graphs can be drawn without taking your pen off the paper or repeating any edges?



Graphs


Yes –start and finish in different places
Semi-Eulerian

Yes- start and finish in the same place
Eulerian


No

- What is significant about the results?


Graphs




- The **degree of a vertex** is the number of edges that meet at that vertex
- What do you notice about the number of odd vertices?
- Why?




What is the sum of the degrees of the vertices for each graph?



12



20



26

- What do you notice if you compare these totals to the number of edges in the graph?

Graphs




The sum of the degrees of all the vertices in a graph is twice the number of edges. This is more formally called the **Handshaking Theorem** and is written

$$\sum \text{deg } v = 2e$$

Königsberg bridges

The **Königsberg bridges** is a famous mathematics problem inspired by an actual place and situation.




The city of Königsberg on the River Pregel in Prussia includes two large islands which were connected to each other and the mainland by seven bridges. The citizens of Königsberg allegedly walked about on Sundays trying to find a route that crosses each bridge exactly once, and return to the starting point.

Königsberg bridges



Is it possible to find a route that


- Starts and finishes at the same place?
- Crosses each bridge exactly once?



Königsberg bridges




Simplify the problem



Königsberg bridges



Model it as a graph where the edges represent the bridges and the vertices represent the islands.



Konigsberg bridges



In 1736 Leonard Euler proved that it was not possible because all the vertices of the graph are odd.

An **Eulerian** cycle travels along every edge in a network and returns to the starting point.

Then and now



In 1946 Konigsberg became part of the Soviet Union and its name was changed to Kaliningrad. Two of the seven original bridges were destroyed during World War II. Two others were later demolished and replaced by a motorway. The three other bridges remain, although only two of them are from Euler's time (one was rebuilt in 1935). Hence there are now only 5 bridges in Konigsberg (Kaliningrad).

Graphs



Many problems of practical interest can be represented by graphs.

- The link structure of a website
- Social relationships

The development of algorithms to handle graphs is therefore of major interest in computer science and electronics

Networks




- When the edges of a graph have numbers (weights) it is called a network.
- Networks can be used to represent many different things; for example if the graph represents a road network, the weights could represent the length of each road.
- Network analysis can be used to find the shortest distance between two places or to model and analyse traffic flow

A problem




A postman starts his rounds at the depot. He needs to deliver letters along the all the streets and return to the depot at *D*. What is the shortest route he can take?

Distances are in 100 metres



Identify the odd nodes



possible pairings are

BD and FG
BF and DG
BG and DF

Consider possible pairings

BD 13
FG 9
Extra distance
 $13 + 9 = 22$

Consider possible pairings

BF 15
DG 20 (via B)
Extra distance
 $15 + 20 = 35$

Consider possible pairings

BG 7
DF 14 (via E)
Extra distance
 $7 + 14 = 21$

Best solution

BD and FG 22
BF and DG 35
BG and DF 21

Don't forget DF goes via E

BG and FD is the best because it is the least extra distance

solution

The distance along all the roads in the Network is 8600m
 $8600 + 2100 = 10700\text{m}$

So our postman must travel 10.7 Km

One possible route: DCBDEFGBGBFED

Algorithms



- An algorithm is a set of instructions for solving a type of problem.
- Finding cycles that go along every edge at least once is called a **Route Inspection problem**.
- It is sometimes called the **Chinese Postman problem** after the Chinese mathematician, Mei Ko Kwan, who developed the algorithm in 1962

Decision Maths



What's it all about?

- Modelling with graphs and networks
- Using algorithms
- Scheduling
- Optimisation (linear programming)

What's it useful for?

- Widely used in the real world
- Operational Research
- Business, computing and electronic engineering